

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU042419\
 Data File : VU031470.D
 Acq On : 24 Apr 2019 15:02
 Operator : JC/SP
 Sample : K2451-07
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YAMX7

Quant Time: Apr 25 06:30:05 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR042419WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Apr 25 06:05:25 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	346719	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	333657	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	129560	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	138076	4.97	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	99.40%
7) Chloroethane-d5	1.68	69	110587	5.22	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	104.40%
11) 1,1-Dichloroethene-d2	2.27	63	205412	3.93	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	78.60%
20) 2-Butanone-d5	4.21	46	403206	54.18	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	108.36%
24) Chloroform-d	4.64	84	228531	5.19	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	103.80%
26) 1,2-Dichloroethane-d4	5.31	65	127708	5.45	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	109.00%
32) Benzene-d6	5.33	84	457854	5.05	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.00%
36) 1,2-Dichloropropane-d6	6.33	67	158449	5.38	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	107.60%
41) Toluene-d8	7.56	98	378748	4.72	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.40%
43) trans-1,3-Dichloropropene-	7.85	79	54445	4.72	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	94.40%
46) 2-Hexanone-d5	8.31	63	288063	50.61	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	101.22%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	117036	4.99	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.80%
64) 1,2-Dichlorobenzene-d4	11.86	152	125802	5.43	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	108.60%

Target Compounds


					Ovalue
2) Dichlorodifluoromethane	1.20	85	6043	0.203 ug/L	100
13) Acetone	2.35	43	21163	4.002 ug/L	72
47) Tetrachloroethene	8.22	164	13916	0.733 ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU042419\
Data File : VU031470.D
Acq On : 24 Apr 2019 15:02
Operator : JC/SP
Sample : K2451-07
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
YAMX7

Quant Time: Apr 25 06:30:05 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR042419WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Apr 25 06:05:25 2019
Response via : Initial Calibration





#2

Dichlorodifluoromethane

Concen: 0.203 ug/L

RT: 1.20 min Scan# 35

Delta R.T. -0.00 min

Lab File: VU031470.D

Acq: 24 Apr 2019 15:02

Instrument :

MSVOA_U

ClientSampleId :


YAMX7

Tot Ion: 85 Resp: 6043

Ion Ratio Lower Upper




85 100

87 33.0 26.3 39.5



Abundance Ion 85.00 (84.70 to 85.70): VU031470.D (-1) (-)

Ion 87.00 (86.70 to 87.70): VU031470.D (-1) (-)



#13

Acetone

Concen: 4.002 ug/L

RT: 2.35 min Scan# 392

Delta R.T. -0.00 min

Lab File: VU031470.D


Acq: 24 Apr 2019 15:02

Tgt Ion: 43 Resp: 21163

Ion Ratio Lower Upper



43 100


58 15.6 0.0 62.4



Abundance Ion 43.05 (42.75 to 43.75): VU031470.D (-300) (-)

Ion 58.05 (57.75 to 58.75): VU031470.D (-300) (-)





#47

Tetrachloroethene

Concen: 0.733 ug/L


RT: 8.22 min Scan# 2219

Delta R.T. 0.00 min

Lab File: VU031470.D

Acq: 24 Apr 2019 15:02

Instrument :
MSVOA_U
ClientSampleId :
YAMX7



Tot Ion:164 Resp: 13916

Ion Ratio Lower Upper

164 100

129 85.9 67.5 125.3

131 87.2 64.0 119.0

166 118.2 88.5 164.4

Abundance Ion 163.90 (163.60 to 164.60): V
Ion 128.95 (128.65 to 129.65): V
Ion 130.95 (130.65 to 131.65): V
Ion 165.90 (165.60 to 166.60): V

