

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU042420\
 Data File : VU037867.D
 Acq On : 24 Apr 2020 10:28
 Operator : JC/MD
 Sample : VU0424WBL01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK56

Quant Time: Apr 25 01:27:57 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042320WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Apr 25 01:13:34 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	573568	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	552369	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	268854	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	224126	44.72	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.44%
7) Chloroethane-d5	1.93	69	182612	47.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.04%
11) 1,1-Dichloroethene-d2	2.59	63	279593	34.47	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.94%
21) 2-Butanone-d5	4.66	46	394496	99.35	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	99.35%
24) Chloroform-d	5.10	84	346459	45.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.78%
26) 1,2-Dichloroethane-d4	5.74	65	248790	47.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.14%
32) Benzene-d6	5.76	84	745193	47.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.42%
36) 1,2-Dichloropropane-d6	6.72	67	252111	48.25	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.50%
41) Toluene-d8	7.92	98	677702	47.20	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.40%
43) trans-1,3-Dichloropropene-	8.20	79	128791	47.89	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.78%
47) 2-Hexanone-d5	8.66	63	281850	99.10	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.10%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	344215	47.35	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.70%
64) 1,2-Dichlorobenzene-d4	12.20	152	246663	47.15	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.30%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU042420\
Data File : VU037867.D
Acq On : 24 Apr 2020 10:28
Operator : JC/MD
Sample : VU0424WBL01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK56

Quant Time: Apr 25 01:27:57 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042320WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 25 01:13:34 2020
Response via : Initial Calibration

