

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU042519\
 Data File : VU031498.D
 Acq On : 25 Apr 2019 12:09
 Operator : JC/SP
 Sample : K2536-09
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0XA3

Quant Time: Apr 26 02:09:03 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR042419WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Apr 26 01:33:16 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	268305	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	273884	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	99664	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	112535	5.24	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	104.80%
7) Chloroethane-d5	1.68	69	92594	5.65	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	113.00%
11) 1,1-Dichloroethene-d2	2.27	63	166857	4.13	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	82.60%
20) 2-Butanone-d5	4.20	46	351842	61.10	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	122.20%
24) Chloroform-d	4.64	84	201098	5.90	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	118.00%
26) 1,2-Dichloroethane-d4	5.31	65	113268	6.25	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	125.00%
32) Benzene-d6	5.33	84	374118	5.03	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.60%
36) 1,2-Dichloropropane-d6	6.33	67	131679	5.45	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	109.00%
41) Toluene-d8	7.56	98	296748	4.50	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.00%
43) trans-1,3-Dichloropropene-	7.85	79	43215	4.56	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	91.20%
46) 2-Hexanone-d5	8.31	63	211849	45.34	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	90.68%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	105605	5.48	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	109.60%
64) 1,2-Dichlorobenzene-d4	11.86	152	106484	5.98	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	119.60%

Target Compounds					Ovalue
13) Acetone	2.35	43	143350	35.031 ug/L	99
21) 2-Butanone	4.31	43	13600	2.186 ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU042519\
Data File : VU031498.D
Acq On : 25 Apr 2019 12:09
Operator : JC/SP
Sample : K2536-09
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0XA3

Quant Time: Apr 26 02:09:03 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR042419WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Apr 26 01:33:16 2019
Response via : Initial Calibration

