




Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042522\
 Data File : VU048277.D
 Acq On : 25 Apr 2022 18:51
 Operator : SY/MD
 Sample : N2470-05ME
 Misc : 5.89g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFFG5ME

Manual IntegrationsAPPROVED

Quant Time: Apr 26 02:46:44 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042522WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 26 02:41:26 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 04/26/2022
 Supervised By :Mahesh Dadoda 04/26/2022



TIC: VU048277.D\data.ms

(7) Chloroethane-d5 (S)

1.870min (-0.039) 11.88 ug/L

response 32653

Ion	Exp%	Act%
69.10	100.00	100.00
71.10	31.60	33.83
51.00	22.10	18.43
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042522\
 Data File : VU048277.D
 Acq On : 25 Apr 2022 18:51
 Operator : SY/MD
 Sample : N2470-05ME
 Misc : 5.89g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFFG5ME

Manual IntegrationsAPPROVED

Quant Time: Apr 26 02:46:44 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042522WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 26 02:41:26 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 04/26/2022
 Supervised By :Mahesh Dadoda 04/26/2022



TIC: VU048277.D\data.ms

(7) Chloroethane-d5 (S)

1.870min (-0.039) 22.20 ug/L m

response 60988

Ion	Exp%	Act%
69.10	100.00	100.00
71.10	31.60	18.11#
51.00	22.10	9.87#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042522\
 Data File : VU048277.D
 Acq On : 25 Apr 2022 18:51
 Operator : SY/MD
 Sample : N2470-05ME
 Misc : 5.89g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFFG5ME

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 04/26/2022
 Supervised By :Mahesh Dadoda 04/26/2022

Quant Time: Apr 26 02:46:44 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042522WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 26 02:41:26 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.246	114	425683	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.423	117	439352	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.819	152	212203	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	163298	41.717	ug/L	0.00
Spiked Amount 50.000	Range 60	- 135	Recovery	=	83.440%	
7) Chloroethane-d5	1.870	69	60988m	22.196	ug/L	-0.04
Spiked Amount 50.000	Range 70	- 130	Recovery	=	44.400%#	
11) 1,1-Dichloroethene-d2	2.530	63	207438	33.073	ug/L	-0.04
Spiked Amount 50.000	Range 60	- 125	Recovery	=	66.140%	
21) 2-Butanone-d5	4.636	46	311131	93.190	ug/L	0.01
Spiked Amount 100.000	Range 40	- 130	Recovery	=	93.190%	
24) Chloroform-d	5.063	84	302988	42.673	ug/L	0.00
Spiked Amount 50.000	Range 70	- 125	Recovery	=	85.340%	
26) 1,2-Dichloroethane-d4	5.700	65	194503	46.170	ug/L	0.00
Spiked Amount 50.000	Range 70	- 125	Recovery	=	92.340%	
32) Benzene-d6	5.719	84	643132	46.414	ug/L	0.00
Spiked Amount 50.000	Range 70	- 125	Recovery	=	92.820%	
36) 1,2-Dichloropropane-d6	6.690	67	217102	47.392	ug/L	0.00
Spiked Amount 50.000	Range 70	- 120	Recovery	=	94.780%	
41) Toluene-d8	7.896	98	588400	46.847	ug/L	0.00
Spiked Amount 50.000	Range 80	- 120	Recovery	=	93.700%	
43) trans-1,3-Dichloroprop...	8.182	79	92923	45.970	ug/L	0.00
Spiked Amount 50.000	Range 60	- 125	Recovery	=	91.940%	
47) 2-Hexanone-d5	8.658	63	239291	96.818	ug/L	0.03
Spiked Amount 100.000	Range 45	- 130	Recovery	=	96.820%	
56) 1,1,2,2-Tetrachloroeth...	10.764	84	361730	45.023	ug/L	0.00
Spiked Amount 50.000	Range 65	- 120	Recovery	=	90.040%	
66) 1,2-Dichlorobenzene-d4	12.198	152	235242	49.280	ug/L	0.00
Spiked Amount 50.000	Range 80	- 120	Recovery	=	98.560%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042522\
Data File : VU048277.D
Acq On : 25 Apr 2022 18:51
Operator : SY/MD
Sample : N2470-05ME
Misc : 5.89g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFFG5ME

Manual IntegrationsAPPROVED

Quant Time: Apr 26 02:46:44 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042522WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 26 02:41:26 2022
Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 04/26/2022
Supervised By :Mahesh Dadoda 04/26/2022

