

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042522\
 Data File : VU048283.D
 Acq On : 25 Apr 2022 21:15
 Operator : SY/MD
 Sample : N2518-03
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXES1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042522WMA.M
 Title : VOC Analysis

Signal : TIC: VU048283.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.359	3	6	22	rVB	8492	10900	0.63%	0.085%
2	1.488	40	46	51	rBV2	6114	7820	0.45%	0.061%
3	1.600	73	81	101	rBV	184549	239430	13.84%	1.870%
4	1.899	167	174	195	rVB	139415	209366	12.11%	1.635%
5	2.491	356	358	361	rBV2	391	291	0.02%	0.002%
6	2.565	367	381	397	rBV	340548	568219	32.86%	4.438%
7	2.825	459	462	465	rBV2	289	218	0.01%	0.002%
8	2.948	492	500	501	rBV2	483	509	0.03%	0.004%
9	2.996	513	515	518	rVB2	373	227	0.01%	0.002%
10	3.041	525	529	538	rVV6	1079	1400	0.08%	0.011%
11	3.182	563	573	589	rBV3	1771	4229	0.24%	0.033%
12	3.256	594	596	605	rVB3	526	412	0.02%	0.003%
13	3.687	726	730	734	rVB2	360	277	0.02%	0.002%
14	3.796	760	764	768	rBV	232	211	0.01%	0.002%
15	3.941	804	809	812	rBV	245	210	0.01%	0.002%
16	3.964	812	816	819	rBV2	285	252	0.01%	0.002%
17	4.349	930	936	941	rVB2	207	237	0.01%	0.002%
18	4.494	979	981	987	rVV2	286	195	0.01%	0.002%
19	4.626	1009	1022	1068	rBV	192292	502650	29.06%	3.926%
20	5.063	1142	1158	1185	rVV	308937	667638	38.60%	5.215%
21	5.247	1210	1215	1218	rBV3	322	271	0.02%	0.002%
22	5.285	1223	1227	1228	rBV2	319	243	0.01%	0.002%
23	5.378	1252	1256	1261	rBV4	598	695	0.04%	0.005%
24	5.533	1300	1304	1308	rVB2	278	239	0.01%	0.002%
25	5.568	1308	1315	1318	rBV2	191	266	0.02%	0.002%
26	5.726	1342	1364	1379	rBV2	644429	1729456	100.00%	13.509%
27	5.970	1433	1440	1453	rVB6	1353	2893	0.17%	0.023%
28	6.102	1478	1481	1483	rBV2	360	250	0.01%	0.002%
29	6.250	1512	1527	1558	rBV	435252	833307	48.18%	6.509%
30	6.414	1576	1578	1587	rVB3	316	351	0.02%	0.003%
31	6.497	1601	1604	1606	rBV2	288	224	0.01%	0.002%
32	6.529	1606	1614	1620	rVV3	1553	2396	0.14%	0.019%
33	6.568	1624	1626	1629	rVB2	306	195	0.01%	0.002%
34	6.587	1629	1632	1634	rBV	282	195	0.01%	0.002%
35	6.690	1649	1664	1684	rBV	403295	799340	46.22%	6.244%
36	6.806	1695	1700	1710	rVB7	1545	2368	0.14%	0.018%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042522\
 Data File : VU048283.D
 Acq On : 25 Apr 2022 21:15
 Operator : SY/MD
 Sample : N2518-03
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXES1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042522WMA.M
 Title : VOC Analysis

37	6.864	1713	1718	1720	rBV	344	321	0.02%	0.003%
38	7.034	1769	1771	1774	rVV	456	389	0.02%	0.003%
39	7.050	1774	1776	1779	rVV	580	395	0.02%	0.003%
40	7.070	1780	1782	1787	rVB2	475	302	0.02%	0.002%
41	7.182	1806	1817	1831	rBV2	4931	9890	0.57%	0.077%
42	7.565	1923	1936	1959	rBV	204862	363627	21.03%	2.840%
43	7.693	1968	1976	1984	rBV6	2347	3748	0.22%	0.029%
44	7.819	2013	2015	2018	rVB2	353	201	0.01%	0.002%
45	7.899	2024	2040	2056	rBV	770220	1332824	77.07%	10.411%
46	8.179	2114	2127	2146	rBV	136682	237425	13.73%	1.855%
47	8.333	2172	2175	2178	rVB3	449	255	0.01%	0.002%
48	8.433	2202	2206	2207	rBV2	405	278	0.02%	0.002%
49	8.475	2214	2219	2227	rVB4	2105	3189	0.18%	0.025%
50	8.578	2237	2251	2258	rBV	21767	36363	2.10%	0.284%
51	8.639	2258	2270	2307	rVB	610782	1106916	64.00%	8.646%
52	8.979	2371	2376	2378	rBV3	362	316	0.02%	0.002%
53	9.115	2416	2418	2422	rVB2	378	225	0.01%	0.002%
54	9.156	2429	2431	2438	rBV2	504	597	0.03%	0.005%
55	9.198	2442	2444	2449	rVB	384	259	0.01%	0.002%
56	9.224	2449	2452	2458	rBV2	496	384	0.02%	0.003%
57	9.330	2482	2485	2490	rVV2	572	501	0.03%	0.004%
58	9.359	2490	2494	2499	rVV	181	206	0.01%	0.002%
59	9.417	2499	2512	2549	rVV	610855	1032321	59.69%	8.064%
60	9.645	2580	2583	2590	rVB	559	523	0.03%	0.004%
61	9.693	2590	2598	2612	rVB6	2130	3614	0.21%	0.028%
62	9.976	2683	2686	2689	rBV2	242	208	0.01%	0.002%
63	10.079	2714	2718	2721	rBV	525	455	0.03%	0.004%
64	10.102	2721	2725	2728	rBV3	699	582	0.03%	0.005%
65	10.475	2837	2841	2842	rBV	402	253	0.01%	0.002%
66	10.561	2863	2868	2873	rBV2	223	250	0.01%	0.002%
67	10.668	2894	2901	2912	rVV5	2218	3209	0.19%	0.025%
68	10.758	2916	2929	2955	rBV	630502	1021752	59.08%	7.981%
69	10.893	2959	2971	2981	rBV2	5647	9614	0.56%	0.075%
70	11.121	3038	3042	3044	rVB2	395	299	0.02%	0.002%
71	11.134	3044	3046	3049	rVB	343	193	0.01%	0.002%
72	11.192	3060	3064	3069	rVV2	432	427	0.02%	0.003%
73	11.275	3086	3090	3093	rBV2	256	246	0.01%	0.002%
74	11.510	3161	3163	3169	rVB2	447	398	0.02%	0.003%
75	11.539	3169	3172	3179	rBV2	356	435	0.03%	0.003%
76	11.581	3179	3185	3190	rBV2	543	680	0.04%	0.005%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042522\
 Data File : VU048283.D
 Acq On : 25 Apr 2022 21:15
 Operator : SY/MD
 Sample : N2518-03
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXES1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042522WMA.M
 Title : VOC Analysis

77	11.632	3196	3201	3204	rBV	417	423	0.02%	0.003%
78	11.693	3216	3220	3222	rBV2	992	784	0.05%	0.006%
79	11.741	3233	3235	3242	rVB3	534	499	0.03%	0.004%
80	11.812	3244	3257	3280	rBV	571475	898187	51.93%	7.016%
81	11.925	3289	3292	3293	rBV3	494	284	0.02%	0.002%
82	11.970	3302	3306	3312	rBV3	1501	1156	0.07%	0.009%
83	12.015	3316	3320	3322	rBV2	366	219	0.01%	0.002%
84	12.040	3324	3328	3330	rBV3	260	214	0.01%	0.002%
85	12.066	3330	3336	3351	rBV7	2155	4896	0.28%	0.038%
86	12.195	3362	3376	3392	rBV	695146	1121978	64.87%	8.764%
87	12.333	3414	3419	3422	rBV4	820	755	0.04%	0.006%
88	12.426	3444	3448	3455	rBV4	423	503	0.03%	0.004%
89	12.487	3465	3467	3470	rBV2	390	241	0.01%	0.002%
90	12.613	3503	3506	3508	rVB2	479	301	0.02%	0.002%
91	12.629	3508	3511	3513	rBV2	563	449	0.03%	0.004%
92	12.642	3513	3515	3520	rVB2	736	527	0.03%	0.004%
93	12.770	3545	3555	3563	rBV4	2859	4626	0.27%	0.036%
94	12.815	3567	3569	3572	rBV	331	193	0.01%	0.002%
95	12.864	3581	3584	3587	rVB2	596	355	0.02%	0.003%
96	12.886	3587	3591	3594	rBV2	454	465	0.03%	0.004%
97	13.847	3883	3890	3899	rVB3	1048	1701	0.10%	0.013%
98	13.886	3899	3902	3905	rBV3	434	333	0.02%	0.003%
99	14.327	4036	4039	4042	rBV2	805	744	0.04%	0.006%
100	15.105	4277	4281	4288	rBV2	655	849	0.05%	0.007%

Sum of corrected areas: 12802132

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042522\
Data File : VU048283.D
Acq On : 25 Apr 2022 21:15
Operator : SY/MD
Sample : N2518-03
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EXES1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042522WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042522\
Data File : VU048283.D
Acq On : 25 Apr 2022 21:15
Operator : SY/MD
Sample : N2518-03
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EXES1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042522WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------