

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042524\
 Data File : VU058803.D
 Acq On : 25 Apr 2024 14:00
 Operator : MD/SY
 Sample : P2305-01 200X
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AL2

Quant Time: Apr 26 02:14:14 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR042224WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Apr 26 02:12:29 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.239	114	66354	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	62893	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	28723	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.589	65	18186	3.484	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	69.600%
7) Chloroethane-d5	1.904	69	13856	3.523	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	70.400%
11) 1,1-Dichloroethene-d2	2.557	65	11330	4.312	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	86.200%
20) 2-Butanone-d5	4.621	46	37097	40.455	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	80.900%
24) Chloroform-d	5.049	84	51480	4.825	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.400%
26) 1,2-Dichloroethane-d4	5.692	65	27091	5.238	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.800%
32) Benzene-d6	5.718	84	90521	4.522	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.400%
36) 1,2-Dichloropropane-d6	6.679	67	25270	4.232	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	84.600%
41) Toluene-d8	7.891	98	80392	4.487	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.800%
43) trans-1,3-Dichloroprop...	8.174	79	10116	4.653	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	93.000%
46) 2-Hexanone-d5	8.628	63	25612	39.759	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	79.520%
56) 1,1,2,2-Tetrachloroeth...	10.746	84	16546	4.550	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	91.000%
66) 1,2-Dichlorobenzene-d4	12.187	152	26202	5.234	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.600%
Target Compounds						Qvalue
16) Methylene chloride	3.036	84	1907	0.367	ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042524\
Data File : VU058803.D
Acq On : 25 Apr 2024 14:00
Operator : MD/SY
Sample : P2305-01 200X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
COAL2

Quant Time: Apr 26 02:14:14 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR042224WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Apr 26 02:12:29 2024
Response via : Initial Calibration





#16

Methylene chloride

Concen: 0.367 ug/L

RT: 3.036 min Scan# 54

Delta R.T. 0.003 min

Lab File: VU058803.D


Acq: 25 Apr 2024 14:00

Instrument :

MSVOA_U

ClientSampleId :

C0AL2



Tgt Ion: 84 Resp: 1907

Ion Ratio Lower Upper

84 100

86 62.0 45.0 83.6

49 122.1 91.6 170.2

