

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU042719\
 Data File : VU031562.D
 Acq On : 27 Apr 2019 03:46
 Operator : JC/SP
 Sample : K2592-15 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0X81

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.180	24	28	34	rVB3	19065	18883	0.49%	0.067%
2	1.396	88	95	107	rBV	534476	576420	15.09%	2.060%
3	1.678	176	183	195	rVB	426820	523170	13.69%	1.870%
4	2.270	356	367	380	rBV	890513	1351071	35.36%	4.828%
5	2.617	472	475	477	rBV2	1299	769	0.02%	0.003%
6	2.698	494	500	503	rBV6	3081	3511	0.09%	0.013%
7	2.765	518	521	525	rBV2	1101	757	0.02%	0.003%
8	2.852	546	548	554	rVB4	2095	1596	0.04%	0.006%
9	2.968	579	584	588	rBV4	1194	1436	0.04%	0.005%
10	3.071	613	616	619	rVV5	1393	1064	0.03%	0.004%
11	3.093	620	623	629	rVB3	982	930	0.02%	0.003%
12	3.235	662	667	669	rBV3	885	961	0.03%	0.003%
13	3.293	680	685	689	rBV3	862	926	0.02%	0.003%
14	3.357	700	705	708	rBV3	1281	1339	0.04%	0.005%
15	3.437	726	730	733	rVB2	2077	1266	0.03%	0.005%
16	3.482	739	744	746	rBV3	907	783	0.02%	0.003%
17	3.498	747	749	753	rVB	1229	762	0.02%	0.003%
18	3.524	753	757	760	rBV3	1168	1118	0.03%	0.004%
19	3.582	770	775	777	rVV3	934	823	0.02%	0.003%
20	3.601	779	781	784	rVV2	1262	779	0.02%	0.003%
21	3.852	855	859	862	rBV2	973	863	0.02%	0.003%
22	3.887	867	870	872	rBV2	1189	811	0.02%	0.003%
23	4.071	924	927	930	rBV2	1097	763	0.02%	0.003%
24	4.087	930	932	937	rVB3	1058	773	0.02%	0.003%
25	4.186	950	963	999	rBV	349926	1077999	28.21%	3.853%
26	4.643	1088	1105	1130	rBV	612883	1456033	38.11%	5.204%
27	4.881	1174	1179	1185	rVB7	2116	2662	0.07%	0.010%
28	4.984	1204	1211	1213	rBV4	2206	2887	0.08%	0.010%
29	5.010	1217	1219	1223	rVB4	1680	928	0.02%	0.003%
30	5.112	1249	1251	1254	rVV2	1024	741	0.02%	0.003%
31	5.334	1295	1320	1350	rBV2	1265426	3821066	100.00%	13.656%
32	5.714	1435	1438	1439	rBV3	1559	706	0.02%	0.003%
33	5.813	1466	1469	1473	rBV2	1277	1224	0.03%	0.004%
34	5.881	1473	1490	1522	rBV	991796	2058750	53.88%	7.358%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU042719\
 Data File : VU031562.D
 Acq On : 27 Apr 2019 03:46
 Operator : JC/SP
 Sample : K2592-15 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0X81

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
 Title : VOC Analysis

35	6.183	1571	1584	1600	rBV	184652	382916	10.02%	1.368%
36	6.325	1614	1628	1649	rBV	841799	1712054	44.81%	6.119%
37	6.540	1690	1695	1698	rBV6	1425	1547	0.04%	0.006%
38	6.575	1702	1706	1709	rBV5	1368	1532	0.04%	0.005%
39	6.762	1758	1764	1769	rBV3	1750	2125	0.06%	0.008%
40	6.804	1775	1777	1779	rVV2	1848	1001	0.03%	0.004%
41	6.858	1789	1794	1800	rVB5	1215	1596	0.04%	0.006%
42	6.894	1800	1805	1807	rBV3	1009	791	0.02%	0.003%
43	6.910	1807	1810	1818	rBV6	1698	2015	0.05%	0.007%
44	6.961	1823	1826	1830	rVB2	1286	864	0.02%	0.003%
45	7.013	1836	1842	1846	rBV5	1152	1326	0.03%	0.005%
46	7.125	1874	1877	1883	rBV5	1412	1345	0.04%	0.005%
47	7.154	1883	1886	1894	rVB4	1140	1231	0.03%	0.004%
48	7.225	1894	1908	1936	rBV	415854	798093	20.89%	2.852%
49	7.562	1999	2013	2043	rBV	1492025	2814744	73.66%	10.059%
50	7.849	2090	2102	2129	rBV	280660	528536	13.83%	1.889%
51	8.025	2155	2157	2161	rVB3	1269	835	0.02%	0.003%
52	8.144	2190	2194	2197	rVB3	1502	1341	0.04%	0.005%
53	8.173	2197	2203	2207	rBV6	1536	1721	0.05%	0.006%
54	8.228	2207	2220	2235	rBV4	31468	57865	1.51%	0.207%
55	8.308	2235	2245	2289	rBV	1189124	2362169	61.82%	8.442%
56	8.723	2371	2374	2376	rBV3	1640	1126	0.03%	0.004%
57	8.884	2422	2424	2427	rBV3	1242	960	0.03%	0.003%
58	8.945	2438	2443	2445	rBV4	1601	1348	0.04%	0.005%
59	9.087	2475	2487	2527	rBV	1416653	2484688	65.03%	8.880%
60	9.273	2542	2545	2549	rVB2	2230	1514	0.04%	0.005%
61	9.427	2589	2593	2598	rVB6	1459	1335	0.03%	0.005%
62	9.633	2652	2657	2660	rVB5	895	859	0.02%	0.003%
63	9.726	2683	2686	2687	rBV2	1412	750	0.02%	0.003%
64	9.823	2710	2716	2722	rBV4	1948	2575	0.07%	0.009%
65	9.861	2723	2728	2730	rBV3	872	901	0.02%	0.003%
66	10.009	2770	2774	2778	rVB3	1353	1039	0.03%	0.004%
67	10.086	2794	2798	2800	rBV2	2534	1881	0.05%	0.007%
68	10.099	2800	2802	2805	rVB	1292	728	0.02%	0.003%
69	10.289	2858	2861	2865	rVB2	2133	1330	0.03%	0.005%
70	10.315	2865	2869	2871	rBV3	1871	1630	0.04%	0.006%
71	10.427	2891	2904	2925	rBV	1085943	1750031	45.80%	6.254%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU042719\
 Data File : VU031562.D
 Acq On : 27 Apr 2019 03:46
 Operator : JC/SP
 Sample : K2592-15 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0X81

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
 Title : VOC Analysis

72	10.595	2951	2956	2959	rBV5	1364	1541	0.04%	0.006%
73	10.656	2968	2975	2977	rBV4	2474	2265	0.06%	0.008%
74	10.710	2989	2992	2994	rBV2	1363	804	0.02%	0.003%
75	10.922	3054	3058	3060	rBV2	1091	848	0.02%	0.003%
76	11.022	3082	3089	3092	rBV3	1584	1606	0.04%	0.006%
77	11.154	3127	3130	3135	rVB3	2244	2255	0.06%	0.008%
78	11.193	3135	3142	3145	rBV5	1395	1432	0.04%	0.005%
79	11.212	3145	3148	3151	rVB3	1357	843	0.02%	0.003%
80	11.234	3151	3155	3158	rBV3	1537	1271	0.03%	0.005%
81	11.299	3172	3175	3180	rVB3	1143	1084	0.03%	0.004%
82	11.405	3205	3208	3212	rVB3	1784	1348	0.04%	0.005%
83	11.434	3212	3217	3219	rBV2	891	876	0.02%	0.003%
84	11.479	3219	3231	3257	rBV	1178647	1942860	50.85%	6.943%
85	11.855	3335	3348	3372	rBV	1281585	2161612	56.57%	7.725%
86	12.357	3501	3504	3507	rVB4	2229	1201	0.03%	0.004%
87	12.945	3683	3687	3691	rVB2	1712	1584	0.04%	0.006%
88	12.967	3691	3694	3697	rBV2	1774	1370	0.04%	0.005%
89	13.064	3721	3724	3727	rBV4	1555	917	0.02%	0.003%
90	13.090	3730	3732	3736	rBV	1138	795	0.02%	0.003%
91	13.250	3779	3782	3783	rBV	1248	854	0.02%	0.003%
92	13.559	3876	3878	3882	rBV2	1042	766	0.02%	0.003%
93	13.649	3902	3906	3909	rBV2	2370	2288	0.06%	0.008%
94	13.974	4003	4007	4011	rBV3	1863	1530	0.04%	0.005%
95	14.131	4053	4056	4057	rBV2	1961	1018	0.03%	0.004%
96	14.282	4100	4103	4105	rBV2	1454	976	0.03%	0.003%
97	14.385	4133	4135	4138	rBV2	1236	827	0.02%	0.003%
98	14.530	4177	4180	4182	rBV3	1535	897	0.02%	0.003%
99	14.971	4314	4317	4321	rBV	2005	1336	0.03%	0.005%
100	15.189	4382	4385	4389	rBV2	2094	1509	0.04%	0.005%

Sum of corrected areas: 27981425

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU042719\
Data File : VU031562.D
Acq On : 27 Apr 2019 03:46
Operator : JC/SP
Sample : K2592-15 50X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 47 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0X81

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU042719\
Data File : VU031562.D
Acq On : 27 Apr 2019 03:46
Operator : JC/SP
Sample : K2592-15 50X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 47 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0X81

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc