

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042721\
 Data File : VU043347.D
 Acq On : 27 Apr 2021 12:27
 Operator : SY/MD
 Sample : M2127-06
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 E0AA9

Quant Time: Apr 27 23:48:39 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR041521WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Apr 27 23:46:47 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.256	114	106306	5.00	ug/L	# 0.00
28) Chlorobenzene-d5	9.423	117	105471	5.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.819	152	48104	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.604	65	24716	4.57	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	91.40%
7) Chloroethane-d5	1.919	69	22700	4.46	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	89.20%
11) 1,1-Dichloroethene-d2	2.575	65	15935	5.09	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	101.80%
20) 2-Butanone-d5	4.649	46	132919	56.06	ug/L	-0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	112.12%
24) Chloroform-d	5.073	84	66498	4.84	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.80%
26) 1,2-Dichloroethane-d4	5.710	65	44841	4.82	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.40%
32) Benzene-d6	5.735	84	122180	4.97	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.40%
36) 1,2-Dichloropropane-d6	6.700	67	42543	5.22	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	104.40%
41) Toluene-d8	7.906	98	101753	3.99	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.80%
43) trans-1,3-Dichloroprop...	8.185	79	15722	4.37	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	87.40%
46) 2-Hexanone-d5	8.642	63	78861	43.97	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	87.94%
56) 1,1,2,2-Tetrachloroeth...	10.764	84	34918	4.87	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	97.40%
66) 1,2-Dichlorobenzene-d4	12.198	152	41324	5.01	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	100.20%
Target Compounds					Qvalue	
13) Acetone	2.662	43	42844	24.59	ug/L	94
16) Methylene chloride	3.057	84	1481	0.19	ug/L	85
21) 2-Butanone	4.742	43	9884	3.44	ug/L	# 55
42) Toluene	7.977	91	6186	0.20	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042721\
Data File : VU043347.D
Acq On : 27 Apr 2021 12:27
Operator : SY/MD
Sample : M2127-06
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
E0AA9

Quant Time: Apr 27 23:48:39 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR041521WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Apr 27 23:46:47 2021
Response via : Initial Calibration

