

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU042820\
 Data File : VU037888.D
 Acq On : 28 Apr 2020 19:44
 Operator : JC/MD
 Sample : L2395-09
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Quant Time: Apr 29 10:38:17 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042320WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Apr 29 04:16:23 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	652860	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	633417	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	288017	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	227604	39.90	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	79.80%
7) Chloroethane-d5	1.93	69	202243	45.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.50%
11) 1,1-Dichloroethene-d2	2.59	63	302934	32.81	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.62%
21) 2-Butanone-d5	4.66	46	420728	93.08	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.08%
24) Chloroform-d	5.10	84	405776	46.70	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.40%
26) 1,2-Dichloroethane-d4	5.74	65	289844	48.18	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.36%
32) Benzene-d6	5.76	84	876777	48.95	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.90%
36) 1,2-Dichloropropane-d6	6.72	67	293661	49.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.04%
41) Toluene-d8	7.92	98	792824	48.16	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.32%
43) trans-1,3-Dichloropropene-	8.20	79	130989	42.48	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.96%
47) 2-Hexanone-d5	8.65	63	331223	101.56	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	101.56%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	416378	49.95	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.90%
64) 1,2-Dichlorobenzene-d4	12.20	152	287434	51.29	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.58%


Target Compounds


					Ovalue
13) Acetone	2.65	43	51164	18.973	ug/L 100
20) cis-1,2-Dichloroethene	4.71	96	26268	5.413	ug/L 91
22) 2-Butanone	4.75	43	18794	3.980	ug/L 96
34) Trichloroethene	6.57	95	24386	5.171	ug/L 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU042820\
Data File : VU037888.D
Acq On : 28 Apr 2020 19:44
Operator : JC/MD
Sample : L2395-09
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Apr 29 10:38:17 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042320WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Apr 29 04:16:23 2020
Response via : Initial Calibration





#13

Acetone

Concen: 18.973 ug/L

RT: 2.65 min Scan# 408

Delta R.T. 0.00 min

Lab File: VU037888.D


Acq: 28 Apr 2020 19:44

Tot Ion: 43 Resp: 51164

Ion Ratio Lower Upper




43 100

58 31.1 0.0 62.0



Abundance Ion 43.00 (42.70 to 43.70): VU037888.D (-315) (-)

Ion 58.00 (57.70 to 58.70): VU037888.D (-315) (-)



#20

cis-1,2-Dichloroethene

Concen: 5.413 ug/L

RT: 4.71 min Scan# 1048

Delta R.T. 0.00 min

Lab File: VU037888.D

Acq: 28 Apr 2020 19:44


Tgt Ion: 96 Resp: 26268

Ion Ratio Lower Upper

96 100

61 131.9 100.4 186.4



68 0.0 0.0 0.0




Abundance Ion 96.00 (95.70 to 96.70): VU037888.D (-954) (-)

Ion 61.00 (60.70 to 61.70): VU037888.D (-954) (-)

Ion 68.00 (67.70 to 68.70): VU037888.D (-954) (-)





#22

2-Butanone

Concen: 3.980 ug/L

RT: 4.75 min Scan# 1059

Delta R.T. 0.00 min

Lab File: VU037888.D


Acq: 28 Apr 2020 19:44

Tot Ion: 43 Resp: 18794

Ion Ratio Lower Upper

43 100

72 26.9 12.6 37.6



Abundance Ion 43.00 (42.70 to 43.70): VU037888.D (-1042) (-)

Ion 72.00 (71.70 to 72.70): VU037888.D (-1042) (-)

8000

6000



4000

2000

0

4.65 4.70 4.75 4.80 4.85

Time-->



#34

Trichloroethene

Concen: 5.171 ug/L

RT: 6.57 min Scan# 1627

Delta R.T. 0.00 min

Lab File: VU037888.D

Acq: 28 Apr 2020 19:44

Tgt Ion: 95 Resp: 24386


Ion Ratio Lower Upper

95 100

97 64.7 44.4 82.5

132 90.8 65.0 120.6

130 92.4 65.5 121.7



Abundance Ion 95.00 (94.70 to 95.70): VU037888.D (-1612) (-)

Ion 97.00 (96.70 to 97.70): VU037888.D (-1612) (-)

Ion 132.00 (131.70 to 132.70): VU037888.D (-1612) (-)

Ion 130.00 (129.70 to 130.70): VU037888.D (-1612) (-)

20000

15000

10000

5000

0

6.50 6.55 6.60

Time-->

