

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042823\
 Data File : VU053940.D
 Acq On : 27 Apr 2023 17:09
 Operator : JC/MD
 Sample : VU0428WBL01
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK191

Quant Time: Apr 28 07:20:21 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR042423WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Apr 27 05:52:18 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.247	114	134271	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.414	117	125126	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.806	152	58166	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	30031	3.672	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	73.400%
7) Chloroethane-d5	1.916	69	27811	4.052	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	81.000%
11) 1,1-Dichloroethene-d2	2.565	65	14442	4.291	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	85.800%
20) 2-Butanone-d5	4.633	46	81094	54.137	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	108.280%
24) Chloroform-d	5.060	84	73814	4.790	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.800%
26) 1,2-Dichloroethane-d4	5.700	65	35176	4.939	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.800%
32) Benzene-d6	5.723	84	141473	4.799	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.000%
36) 1,2-Dichloropropane-d6	6.687	67	46139	5.174	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	103.400%
41) Toluene-d8	7.896	98	123640	4.494	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.800%
43) trans-1,3-Dichloroprop...	8.176	79	16665	4.752	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	95.000%
46) 2-Hexanone-d5	8.629	63	64986	52.359	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	104.720%
56) 1,1,2,2-Tetrachloroeth...	10.751	84	35687	4.952	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.000%
66) 1,2-Dichlorobenzene-d4	12.189	152	45695	4.898	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	98.000%
Target Compounds						
16) Methylene chloride	3.044	84	4512	0.391	ug/L	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042823\
Data File : VU053940.D
Acq On : 27 Apr 2023 17:09
Operator : JC/MD
Sample : VU0428WBL01
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK191

Quant Time: Apr 28 07:20:21 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR042423WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Apr 27 05:52:18 2023
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.391 ug/L
RT: 3.044 min Scan# 51
Delta R.T. 0.000 min
Lab File: VU053940.D
Acq: 27 Apr 2023 17:09

Instrument :
MSVOA_U
ClientSampleId :
VBLK191

Tgt Ion:	84	Resp:	4512
Ion	Ratio	Lower	Upper
84	100		
86	62.6	45.0	83.6
49	103.1	74.8	138.8

