

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU042919\
 Data File : VU031589.D
 Acq On : 29 Apr 2019 16:18
 Operator : JC/SP
 Sample : K2536-21DL 5X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0X09DL

Manual Integrations
 APPROVED

MMDadoda
 4/30/2019 12:07:26 PM

Quant Time: Apr 30 04:07:39 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 30 01:54:25 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	685526	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	657317	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	246087	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	296473	51.67	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	103.34%
7) Chloroethane-d5	1.68	69	243667	54.96	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	109.92%
11) 1,1-Dichloroethene-d2	2.27	63	450963	39.47	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.94%
21) 2-Butanone-d5	4.19	46	627122	120.64	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	120.64%
24) Chloroform-d	4.64	84	552740	52.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.20%
26) 1,2-Dichloroethane-d4	5.31	65	381432	55.56	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	111.12%
32) Benzene-d6	5.34	84	1076511	53.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.66%
36) 1,2-Dichloropropane-d6	6.32	67	388239	54.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	109.34%
41) Toluene-d8	7.56	98	887243	50.47	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.94%
43) trans-1,3-Dichloropropene-	7.85	79	151055	49.55	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	99.10%
47) 2-Hexanone-d5	8.31	63	340507	110.78	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	110.78%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	493194	51.75	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	103.50%
64) 1,2-Dichlorobenzene-d4	11.86	152	279549	54.02	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	108.04%

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
9) Trichlorofluoromethane	1.88	101	18755	1.929	ug/L	93
13) Acetone	2.34	43	12722m	2.173	ug/L	
20) cis-1,2-Dichloroethene	4.23	96	6089m	1.019	ug/L	
34) Trichloroethene	6.18	95	381849	65.183	ug/L	94
46) Tetrachloroethene	8.22	164	18847	4.719	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU042919\
Data File : VU031589.D
Acq On : 29 Apr 2019 16:18
Operator : JC/SP
Sample : K2536-21DL 5X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0X09DL

Manual Integrations
APPROVED

MMDadoda
4/30/2019 12:07:26 PM

Quant Time: Apr 30 04:07:39 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 30 01:54:25 2019
Response via : Initial Calibration

