

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU043021\
 Data File : VU043438.D
 Acq On : 29 Apr 2021 20:28
 Operator : SY/MD
 Sample : M2197-08
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YARH0

Quant Time: Apr 30 07:32:20 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR041521WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Apr 30 07:27:36 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.256	114	79173	5.00	ug/L	# 0.00
28) Chlorobenzene-d5	9.423	117	81478	5.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.819	152	37011	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	20175	5.01	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	100.20%
7) Chloroethane-d5	1.912	69	19268	5.08	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	101.60%
11) 1,1-Dichloroethene-d2	2.565	65	12369	5.31	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	106.20%
20) 2-Butanone-d5	4.687	46	90933	51.50	ug/L	0.03
Spiked Amount	50.000	Range	40 - 130	Recovery	=	103.00%
24) Chloroform-d	5.073	84	55382	5.41	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	108.20%
26) 1,2-Dichloroethane-d4	5.713	65	33988	4.91	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.20%
32) Benzene-d6	5.735	84	95106	5.01	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.20%
36) 1,2-Dichloropropane-d6	6.700	67	34279	5.45	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	109.00%
41) Toluene-d8	7.906	98	76661	3.89	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	77.80%
43) trans-1,3-Dichloroprop...	8.185	79	11681	4.21	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.20%
46) 2-Hexanone-d5	8.648	63	63601	45.90	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	91.80%
56) 1,1,2,2-Tetrachloroeth...	10.764	84	28833	5.21	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	104.20%
66) 1,2-Dichlorobenzene-d4	12.201	152	30123	4.75	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	95.00%
Target Compounds						
34) Trichloroethene	6.549	95	4621	0.77	ug/L	Qvalue 93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU043021\
Data File : VU043438.D
Acq On : 29 Apr 2021 20:28
Operator : SY/MD
Sample : M2197-08
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
YARH0

Quant Time: Apr 30 07:32:20 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR041521WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Apr 30 07:27:36 2021
Response via : Initial Calibration

