

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU043021\
 Data File : VU043451.D
 Acq On : 30 Apr 2021 02:06
 Operator : SY/MD
 Sample : M2194-02
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampled :
 YARG8

Quant Time: Apr 30 08:36:28 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR041521WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Apr 30 08:34:29 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.260	114	84035	5.00	ug/L	# 0.00
28) Chlorobenzene-d5	9.423	117	84494	5.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.819	152	38890	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.604	65	19895	4.66	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	93.20%	
7) Chloroethane-d5	1.919	69	19988	4.97	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	99.40%	
11) 1,1-Dichloroethene-d2	2.572	65	12301	4.97	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	99.40%	
20) 2-Butanone-d5	4.639	46	107050	57.12	ug/L	-0.01
Spiked Amount	50.000	Range 40 - 130	Recovery	=	114.24%	
24) Chloroform-d	5.073	84	57851	5.32	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	106.40%	
26) 1,2-Dichloroethane-d4	5.710	65	34994	4.76	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	95.20%	
32) Benzene-d6	5.735	84	98528	5.01	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	100.20%	
36) 1,2-Dichloropropane-d6	6.700	67	36217	5.55	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	111.00%	
41) Toluene-d8	7.906	98	81350	3.98	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	79.60%	
43) trans-1,3-Dichloroprop...	8.186	79	12046	4.18	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	83.60%	
46) 2-Hexanone-d5	8.642	63	63903	44.47	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	88.94%	
56) 1,1,2,2-Tetrachloroeth...	10.764	84	29039	5.06	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	101.20%	
66) 1,2-Dichlorobenzene-d4	12.201	152	32552	4.88	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	97.60%	


Target Compounds						Qvalue
13) Acetone	2.652	43	2445	1.78	ug/L	90
14) Carbon disulfide	2.800	76	2456	0.21	ug/L	100
33) Benzene	5.780	78	1756	0.08	ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU043021\
 Data File : VU043451.D
 Acq On : 30 Apr 2021 02:06
 Operator : SY/MD
 Sample : M2194-02
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YARG8

Quant Time: Apr 30 08:36:28 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR041521WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Apr 30 08:34:29 2021
 Response via : Initial Calibration









#13
 Acetone
 Concen: 1.78 ug/L
 RT: 2.652 min Scan# 408
 Delta R.T. -0.009 min
 Lab File: VU043451.D
 Acq: 30 Apr 2021 02:06




Instrument :
 MSVOA_U
 ClientSampled :
 YARG8


Tgt Ion: 43 Resp: 2445
 Ion Ratio Lower Upper
 43 100
 58 16.4 0.0 25.0



#14
 Carbon disulfide
 Concen: 0.21 ug/L
 RT: 2.800 min Scan# 454
 Delta R.T. 0.000 min
 Lab File: VU043451.D
 Acq: 30 Apr 2021 02:06

Tgt Ion: 76 Resp: 2456
 Ion Ratio Lower Upper
 76 100
 78 9.5 7.5 11.3





#33
 Benzene
 Concen: 0.08 ug/L
 RT: 5.780 min Scan# 1381
 Delta R.T. -0.003 min
 Lab File: VU043451.D
 Acq: 30 Apr 2021 02:06

Tgt Ion: 78 Resp: 1756

Instrument :
 MSVOA_U
 ClientSampled :
 YARG8

