

Data Path : W:\HPCHEM1\MSVOA_U\DATA\VU050218\
 Data File : VU023570.D
 Acq On : 02 May 2018 10:58
 Operator : MD/SY
 Sample : VU0502MBL01
 Misc : 5.00g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: May 03 05:26:30 2018
 Quant Method : W:\HPCHEM1\MSVOA_U\METHOD\SOMULM050118WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu May 03 05:16:38 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	320110	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	302568	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	145341	50.00	ug/L	0.00

System Monitoring Compounds


4) Vinyl Chloride-d3	1.40	65	98076	43.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.46%
7) Chloroethane-d5	1.68	69	78929	45.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.28%
11) 1,1-Dichloroethene-d2	2.27	63	146704	33.17	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.34%
21) 2-Butanone-d5	4.18	46	182547	116.46	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	116.46%
24) Chloroform-d	4.65	84	189671	50.55	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.10%
26) 1,2-Dichloroethane-d4	5.31	65	127549	48.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.76%
32) Benzene-d6	5.35	84	392063	48.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.60%
36) 1,2-Dichloropropane-d6	6.34	67	135385	49.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.58%
41) Toluene-d8	7.57	98	350521	46.83	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.66%
43) trans-1,3-Dichloropropene-	7.85	79	56476	48.25	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	96.50%
47) 2-Hexanone-d5	8.31	63	127033	123.02	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	123.02%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	180519	51.33	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	102.66%
64) 1,2-Dichlorobenzene-d4	11.87	152	144192	50.86	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.72%


Target Compounds						Qvalue
59) 1,2,3-Trichloropropane	11.49	75	17970	5.33	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : W:\HPCHEM1\MSVOA_U\DATA\VU050218\
Data File : VU023570.D
Acq On : 02 May 2018 10:58
Operator : MD/SY
Sample : VU0502MBL01
Misc : 5.00g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 3 Sample Multiplier: 1

Quant Time: May 03 05:26:30 2018
Quant Method : W:\HPCHEM1\MSVOA_U\METHOD\SOMULM050118WMA.M
Quant Title : VOC Analysis
QLast Update : Thu May 03 05:16:38 2018
Response via : Initial Calibration





#59

1,2,3-Trichloropropane

Concen: 5.33 ug/L

RT: 11.49 min Scan# 3389

Delta R.T. 0.99 min

Lab File: VU023570.D

Acq: 02 May 2018 10:58

Tgt Ion: 75 Resp: 17970

Ion Ratio Lower Upper

75 100

77 34.4 25.9 38.9

