

Data Path : W:\HPCHEM1\MSVOA_U\DATA\VU050218\
 Data File : VU023572.D
 Acq On : 02 May 2018 12:09
 Operator : MD/SY
 Sample : J2558-12
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: May 03 05:26:48 2018
 Quant Method : W:\HPCHEM1\MSVOA_U\METHOD\SOMULM050118WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu May 03 05:16:38 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	357939	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	346325	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	166266	50.00	ug/L	0.00

System Monitoring Compounds


4) Vinyl Chloride-d3	1.40	65	89712	35.36	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	70.72%
7) Chloroethane-d5	1.68	69	73348	37.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	75.86%
11) 1,1-Dichloroethene-d2	2.27	63	133840	27.06	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	54.12%#
21) 2-Butanone-d5	4.18	46	170060	97.02	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.02%
24) Chloroform-d	4.65	84	177813	42.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.76%
26) 1,2-Dichloroethane-d4	5.31	65	118804	40.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	81.44%
32) Benzene-d6	5.35	84	362383	39.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	78.00%
36) 1,2-Dichloropropane-d6	6.34	67	128109	41.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	82.32%
41) Toluene-d8	7.57	98	326913	38.16	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	76.32%#
43) trans-1,3-Dichloropropene-	7.85	79	52577	39.24	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.48%
47) 2-Hexanone-d5	8.31	63	118534	100.29	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.29%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	168626	41.89	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	83.78%
64) 1,2-Dichlorobenzene-d4	11.87	152	136227	42.00	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	84.00%


Target Compounds						Qvalue
59) 1,2,3-Trichloropropane	11.49	75	19799	5.13	ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : W:\HPCHEM1\MSVOA_U\DATA\VU050218\
Data File : VU023572.D
Acq On : 02 May 2018 12:09
Operator : MD/SY
Sample : J2558-12
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1

Quant Time: May 03 05:26:48 2018
Quant Method : W:\HPCHEM1\MSVOA_U\METHOD\SOMULM050118WMA.M
Quant Title : VOC Analysis
QLast Update : Thu May 03 05:16:38 2018
Response via : Initial Calibration





#59

1,2,3-Trichloropropane

Concen: 5.13 ug/L

RT: 11.49 min Scan# 3389

Delta R.T. 0.99 min

Lab File: VU023572.D


Acq: 02 May 2018 12:09

Tgt Ion: 75 Resp: 19799

Ion Ratio Lower Upper

75 100

77 36.9 25.9 38.9



Abundance Ion 75.00 (74.70 to 75.70): VU0

Ion 77.00 (76.70 to 77.70): VU0

