

Data File : VU031710.D
Acq On : 02 May 2019 14:21
Operator : JC/SP
Sample : K2604-20DL 200X
Misc : 5.07g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GAJ91DL

Quant Time: May 03 04:42:05 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
Quant Title : VOC Analysis
QLast Update : Fri May 03 04:37:29 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	1027773	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	959667	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	450618	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	203677	23.68	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	47.36%#
7) Chloroethane-d5	1.68	69	185114	27.85	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	55.70%#
11) 1,1-Dichloroethene-d2	2.27	63	331727	19.37	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	38.74%#
21) 2-Butanone-d5	4.19	46	714595	91.69	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	91.69%
24) Chloroform-d	4.64	84	498021	31.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	63.22%#
26) 1,2-Dichloroethane-d4	5.31	65	343109	33.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	66.68%#
32) Benzene-d6	5.34	84	987500	33.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	67.02%#
36) 1,2-Dichloropropane-d6	6.32	67	374573	36.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	72.26%
41) Toluene-d8	7.56	98	850143	33.12	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	66.24%#
43) trans-1,3-Dichloropropene-	7.85	79	158148	35.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.06%
47) 2-Hexanone-d5	8.31	63	479525	106.86	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	106.86%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	547653	39.36	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	78.72%
64) 1,2-Dichlorobenzene-d4	11.85	152	350439	36.98	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	73.96%#

Target Compounds


						Qvalue
33) Benzene	5.39	78	151029	4.280	ug/L	100
42) Toluene	7.63	91	740818	21.078	ug/L	99
52) Ethylbenzene	9.25	91	124603	3.418	ug/L	98
53) m,p-Xylene	9.37	106	321638	25.321	ug/L	98
54) o-xylene	9.77	106	141014	11.198	ug/L	93
55) Styrene	9.79	104	428538	19.918	ug/L	95
59) 1,2,3-Trichloropropane	11.48	75	60193	5.069	ug/L	95
69) Naphthalene	13.74	128	11395041	377.876	ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VU031710.D
Acq On : 02 May 2019 14:21
Operator : JC/SP
Sample : K2604-20DL 200X
Misc : 5.07g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GAJ91DL

Quant Time: May 03 04:42:05 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
Quant Title : VOC Analysis
QLast Update : Fri May 03 04:37:29 2019
Response via : Initial Calibration









#33
Benzene
Concen: 4.280 ug/L
RT: 5.39 min Scan# 1336
Delta R.T. 0.00 min
Lab File: VU031710.D
Acq: 02 May 2019 14:21

Instrument :
MSVOA_U
ClientSampleId :
GAJ91DL

Tgt Ion: 78 Resp: 151029




Abundance Ion 78.00 (77.70 to 78.70): VU0






#42
Toluene
Concen: 21.078 ug/L
RT: 7.63 min Scan# 2035
Delta R.T. -0.00 min
Lab File: VU031710.D
Acq: 02 May 2019 14:21

Tgt Ion: 91 Resp: 740818
Ion Ratio Lower Upper
91 100
92 56.6 39.0 72.4



Abundance Ion 91.00 (90.70 to 91.70): VU0
Ion 92.00 (91.70 to 92.70): VU0





#52

Ethylbenzene

Concen: 3.418 ug/L

RT: 9.25 min Scan# 2538

Delta R.T. 0.01 min

Lab File: VU031710.D

Acq: 02 May 2019 14:21

Instrument :

MSVOA_U

ClientSampleId :


GAJ91DL

Tgt Ion: 91 Resp: 124603

Ion Ratio Lower Upper




91 100

106 29.9 20.4 37.8



Abundance Ion 91.00 (90.70 to 91.70): VU031699.D (-2522) (-)

Ion 106.00 (105.70 to 106.70): VU031699.D (-2522) (-)



#53

m,p-Xylene

Concen: 25.321 ug/L

RT: 9.37 min Scan# 2575

Delta R.T. -0.00 min

Lab File: VU031710.D


Acq: 02 May 2019 14:21

Tgt Ion: 106 Resp: 321638

Ion Ratio Lower Upper



106 100


91 214.7 152.2 282.6



Abundance Ion 106.00 (105.70 to 106.70): VU031699.D (-2564) (-)

Ion 91.00 (90.70 to 91.70): VU031699.D (-2564) (-)









#54
o-xylene
Concen: 11.198 ug/L
RT: 9.77 min Scan# 2701
Delta R.T. -0.00 min
Lab File: VU031710.D
Acq: 02 May 2019 14:21

Instrument :
MSVOA_U
ClientSampleId :
GAJ91DL

Tgt Ion:106 Resp: 141014
Ion Ratio Lower Upper
106 100
91 221.5 163.2 303.2




Abundance Ion 106.00 (105.70 to 106.70): V
Ion 91.00 (90.70 to 91.70): VU0






#55
Styrene
Concen: 19.918 ug/L
RT: 9.79 min Scan# 2706
Delta R.T. 0.00 min
Lab File: VU031710.D
Acq: 02 May 2019 14:21

Tgt Ion:104 Resp: 428538
Ion Ratio Lower Upper
104 100
78 47.2 35.4 65.7



Abundance Ion 104.00 (103.70 to 104.70): V
Ion 78.00 (77.70 to 78.70): VU0





#59

1,2,3-Trichloropropane

Concen: 5.069 ug/L

RT: 11.48 min Scan# 3231

Delta R.T. 0.99 min

Lab File: VU031710.D

Acq: 02 May 2019 14:21

Instrument :

MSVOA_U

ClientSampleId :





GAJ91DL

Tgt Ion: 75 Resp: 60193

Ion Ratio Lower Upper

75 100

77 35.0 25.9 38.9



#69

Naphthalene

Concen: 377.876 ug/L

RT: 13.74 min Scan# 3933

Delta R.T. -0.00 min

Lab File: VU031710.D

Acq: 02 May 2019 14:21

Tgt Ion: 128 Resp: 11395041

Ion Ratio Lower Upper

128 100

127 13.2 10.6 15.8

129 10.9 8.7 13.1

