

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU050219\
 Data File : VU031702.D
 Acq On : 02 May 2019 11:15
 Operator : JC/SP
 Sample : K2603-16DL 10X
 Misc : 5.10g/5mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GAJ68DL

Quant Time: May 14 08:38:54 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri May 03 04:37:29 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	1031325	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	981011	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	470355	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	234639	27.18	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	54.36%#
7) Chloroethane-d5	1.68	69	213827	32.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	64.12%#
11) 1,1-Dichloroethene-d2	2.26	63	387620	22.55	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	45.10%#
21) 2-Butanone-d5	4.19	46	735395	94.03	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.03%
24) Chloroform-d	4.64	84	564451	35.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	71.42%
26) 1,2-Dichloroethane-d4	5.31	65	385452	37.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	74.64%
32) Benzene-d6	5.33	84	1112648	36.94	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	73.88%
36) 1,2-Dichloropropane-d6	6.33	67	419628	39.59	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	79.18%
41) Toluene-d8	7.56	98	971213	37.02	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	74.04%#
43) trans-1,3-Dichloropropene-	7.85	79	176740	38.85	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	77.70%
47) 2-Hexanone-d5	8.31	63	513416	111.92	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	111.92%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	607624	42.72	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	85.44%
64) 1,2-Dichlorobenzene-d4	11.86	152	397440	40.18	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	80.36%

Target Compounds

					Ovalue
42) Toluene	7.63	91	234794	6.535	ug/L 97
52) Ethylbenzene	9.25	91	1205625	32.350	ug/L 100
53) m,p-Xylene	9.37	106	265118	20.417	ug/L 96
54) o-xylene	9.77	106	332301	25.813	ug/L 99
55) Styrene	9.79	104	430364	19.568	ug/L 99
56) Isopropylbenzene	10.17	105	31349	0.926	ug/L 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU050219\
Data File : VU031702.D
Acq On : 02 May 2019 11:15
Operator : JC/SP
Sample : K2603-16DL 10X
Misc : 5.10g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GAJ68DL

Quant Time: May 14 08:38:54 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
Quant Title : VOC Analysis
QLast Update : Fri May 03 04:37:29 2019
Response via : Initial Calibration

