

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU050219\
 Data File : VU031709.D
 Acq On : 02 May 2019 13:58
 Operator : JC/SP
 Sample : K2633-13
 Misc : 5.00g/5mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GAJA5

Quant Time: May 20 00:29:50 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri May 03 04:37:29 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	1062711	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	994093	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	461233	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	212726	23.92	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	47.84%#
7) Chloroethane-d5	1.68	69	145983	21.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	42.48%#
11) 1,1-Dichloroethene-d2	2.24	63	350336	19.78	ug/L	-0.03
Spiked Amount	50.000	Range	60 - 125	Recovery	=	39.56%#
21) 2-Butanone-d5	4.21	46	644843	80.02	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	80.02%
24) Chloroform-d	4.64	84	531504	32.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	65.26%#
26) 1,2-Dichloroethane-d4	5.31	65	366711	34.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	68.92%#
32) Benzene-d6	5.33	84	1048630	34.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	68.70%#
36) 1,2-Dichloropropane-d6	6.33	67	398676	37.12	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	74.24%
41) Toluene-d8	7.56	98	929141	34.95	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	69.90%#
43) trans-1,3-Dichloropropene-	7.86	79	180796	39.22	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.44%
47) 2-Hexanone-d5	8.34	63	503112	108.23	ug/L	0.04
Spiked Amount	100.000	Range	45 - 130	Recovery	=	108.23%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	548634	38.06	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	76.12%
64) 1,2-Dichlorobenzene-d4	11.86	152	365073	37.64	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	75.28%#

Target Compounds

					Ovalue
52) Ethylbenzene	9.25	91	1533090	40.595	ug/L 100
53) m,p-Xylene	9.38	106	1289135	97.973	ug/L 100
54) o-xylene	9.78	106	1062097	81.418	ug/L 97
56) Isopropylbenzene	10.17	105	96534	2.814	ug/L 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU050219\
Data File : VU031709.D
Acq On : 02 May 2019 13:58
Operator : JC/SP
Sample : K2633-13
Misc : 5.00µL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GAJA5

Quant Time: May 20 00:29:50 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
Quant Title : VOC Analysis
QLast Update : Fri May 03 04:37:29 2019
Response via : Initial Calibration

