

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU050219\
 Data File : VU031723.D
 Acq On : 02 May 2019 19:35
 Operator : JC/SP
 Sample : K2661-11 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B31

Manual Integrations
 APPROVED

MMDadoda
 5/3/2019 10:39:07 AM

Quant Time: May 03 08:26:14 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri May 03 07:25:23 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	944091	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	873754	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	361385	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	389540	49.30	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	98.60%
7) Chloroethane-d5	1.68	69	292574m	47.92	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.84%
11) 1,1-Dichloroethene-d2	2.27	63	557638m	35.44	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.88%
21) 2-Butanone-d5	4.18	46	700976	97.92	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.92%
24) Chloroform-d	4.64	84	608671	42.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.12%
26) 1,2-Dichloroethane-d4	5.31	65	407252	43.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.16%
32) Benzene-d6	5.33	84	1301052	48.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.98%
36) 1,2-Dichloropropane-d6	6.32	67	451131	47.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.58%
41) Toluene-d8	7.56	98	1114610	47.70	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.40%
43) trans-1,3-Dichloropropene-	7.85	79	187496	46.27	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.54%
47) 2-Hexanone-d5	8.31	63	459892	112.56	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	112.56%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	566210	44.69	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.38%
64) 1,2-Dichlorobenzene-d4	11.86	152	351430	46.24	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.48%

Target Compounds					Ovalue
20) cis-1,2-Dichloroethene	4.22	96	6272	0.762 ug/L	88
34) Trichloroethene	6.19	95	5360m	0.688 ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU050219\
Data File : VU031723.D
Acq On : 02 May 2019 19:35
Operator : JC/SP
Sample : K2661-11 50X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 26 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
C0B31

Manual Integrations
APPROVED

MMDadoda
5/3/2019 10:39:07 AM

Quant Time: May 03 08:26:14 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
Quant Title : VOC Analysis
QLast Update : Fri May 03 07:25:23 2019
Response via : Initial Calibration





#20

cis-1,2-Dichloroethene

Concen: 0.762 ug/L

RT: 4.22 min Scan# 974

Delta R.T. 0.00 min

Lab File: VU031723.D

Acq: 02 May 2019 19:35

Instrument :

MSVOA_U





ClientSampleId :

C0B31

Tot Ion:	96	Resp:	6272
Ion	Ratio	Lower	Upper
96	100		
61	126.9	99.5	184.7
68	0.0	0.0	0.0

Manual Integrations
APPROVED

MMDadoda
5/3/2019 10:39:07 AM



#34

Trichloroethene

Concen: 0.688 ug/L m

RT: 6.19 min Scan# 1585

Delta R.T. 0.00 min

Lab File: VU031723.D

Acq: 02 May 2019 19:35

Tgt Ion:	95	Resp:	5360
Ion	Ratio	Lower	Upper
95	100		
97	75.5	44.8	83.2
132	111.6	63.1	117.1
130	102.2	66.5	123.5

