

Data Path : W:\HPCHEM1\MSVOA_U\DATA\VU050318\
 Data File : VU023602.D
 Acq On : 03 May 2018 15:14
 Operator : MD/SY
 Sample : J2621-10
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Quant Time: May 04 02:55:20 2018
 Quant Method : W:\HPCHEM1\MSVOA_U\METHOD\SOMULM050118WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri May 04 02:54:31 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	322021	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	313287	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	147137	50.00	ug/L	0.00

System Monitoring Compounds


4) Vinyl Chloride-d3	1.40	65	111082	48.67	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	97.34%
7) Chloroethane-d5	1.68	69	85078	48.91	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	97.82%
11) 1,1-Dichloroethene-d2	2.27	63	165698	37.24	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.48%
21) 2-Butanone-d5	4.18	46	204099	129.43	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	129.43%
24) Chloroform-d	4.65	84	200381	53.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.18%
26) 1,2-Dichloroethane-d4	5.31	65	136140	51.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.72%
32) Benzene-d6	5.35	84	418805	49.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.64%
36) 1,2-Dichloropropane-d6	6.34	67	144627	51.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.74%
41) Toluene-d8	7.57	98	373918	48.25	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.50%
43) trans-1,3-Dichloropropene-	7.85	79	60445	49.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	99.74%
47) 2-Hexanone-d5	8.31	63	141807	132.63	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	132.63%#
57) 1,1,2,2-Tetrachloroethane-	10.44	84	194722	53.47	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	106.94%
64) 1,2-Dichlorobenzene-d4	11.87	152	151439	52.76	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.52%


Target Compounds					Qvalue
48) 2-Hexanone	8.31	43	18259	5.43 ug/L	# 66
59) 1,2,3-Trichloropropane	11.49	75	17726	5.07 ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : W:\HPCHEM1\MSVOA_U\DATA\VU050318\
Data File : VU023602.D
Acq On : 03 May 2018 15:14
Operator : MD/SY
Sample : J2621-10
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1





Quant Time: May 04 02:55:20 2018
Quant Method : W:\HPCHEM1\MSVOA_U\METHOD\SOMULM050118WMA.M
Quant Title : VOC Analysis
QLast Update : Fri May 04 02:54:31 2018
Response via : Initial Calibration





#48
 2-Hexanone
 Concen: 5.43 ug/L
 RT: 8.31 min Scan# 2402
 Delta R.T. -0.05 min
 Lab File: VU023602.D
 Acq: 03 May 2018 15:14

Tgt Ion:	43	Resp:	18259
Ion	Ratio	Lower	Upper
43	100		
58	26.1	43.0	64.6#
57	29.3	14.6	22.0#
100	1.6	8.4	12.6#



#59
 1,2,3-Trichloropropane
 Concen: 5.07 ug/L
 RT: 11.49 min Scan# 3390
 Delta R.T. 0.99 min
 Lab File: VU023602.D
 Acq: 03 May 2018 15:14

Tgt Ion:	75	Resp:	17726
Ion	Ratio	Lower	Upper
75	100		
77	36.8	25.9	38.9

