

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU050319\
 Data File : VU031749.D
 Acq On : 03 May 2019 14:54
 Operator : JC/SP
 Sample : VIBLK40
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK40

Manual Integrations
 APPROVED

MMDadoda
 5/6/2019 11:43:13 AM

Quant Time: May 04 06:10:20 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat May 04 02:35:16 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	771903	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	741574	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	291815	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	308979	47.83	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	95.66%
7) Chloroethane-d5	1.68	69	240417	48.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.32%
11) 1,1-Dichloroethene-d2	2.27	63	444832m	34.58	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.16%
21) 2-Butanone-d5	4.18	46	656275	112.12	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	112.12%
24) Chloroform-d	4.64	84	533521	45.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.18%
26) 1,2-Dichloroethane-d4	5.31	65	368238	47.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.28%
32) Benzene-d6	5.34	84	1076459	47.27	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.54%
36) 1,2-Dichloropropane-d6	6.32	67	388443	48.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.98%
41) Toluene-d8	7.56	98	905042	45.63	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.26%
43) trans-1,3-Dichloropropene-	7.85	79	155551	45.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.46%
47) 2-Hexanone-d5	8.31	63	392990	113.33	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	113.33%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	514997	47.90	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.80%
64) 1,2-Dichlorobenzene-d4	11.85	152	296610	48.33	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.66%

Target Compounds					Ovalue
46) Tetrachloroethene	8.22	164	6390	1.418 ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU050319\
Data File : VU031749.D
Acq On : 03 May 2019 14:54
Operator : JC/SP
Sample : VIBLK40
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 17 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
VIBLK40

Manual Integrations
APPROVED

MMDadoda
5/6/2019 11:43:13 AM

Quant Time: May 04 06:10:20 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
Quant Title : VOC Analysis
QLast Update : Sat May 04 02:35:16 2019
Response via : Initial Calibration





#46

Tetrachloroethene

Concen: 1.418 ug/L

RT: 8.22 min Scan# 2219

Delta R.T. 0.00 min

Lab File: VU031749.D

Acq: 03 May 2019 14:54

Instrument :

MSVOA_U

ClientSampleId :

VIBLK40

Tot Ion:164 Resp: 6390

Ion Ratio Lower Upper

164 100

129 95.9 71.5 132.9

131 92.6 69.0 128.2


166 128.5 93.7 173.9

Manual Integrations

APPROVED

MMDadoda

5/6/2019 11:43:13 AM



Abundance Ion 164.00 (163.70 to 164.70): V

Ion 129.00 (128.70 to 129.70): V

Ion 131.00 (130.70 to 131.70): V

Ion 166.00 (165.70 to 166.70): V

