

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU050321\  
 Data File : VU043502.D  
 Acq On : 03 May 2021 23:28  
 Operator : SY/MD  
 Sample : M2195-15DL 200X  
 Misc : 25.0mL/MSVOA\_U/WATER  
 ALS Vial : 33 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 GB3J3DL

Quant Time: May 04 08:26:30 2021  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR050321WMA.M  
 Quant Title : TRACE VOA SFAM1.0  
 QLast Update : Tue May 04 08:24:49 2021  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon  | Response | Conc     | Units | Dev(Min) |
|-------------------------------|--------|-------|----------|----------|-------|----------|
| -----                         |        |       |          |          |       |          |
| Internal Standards            |        |       |          |          |       |          |
| 1) 1,4-Difluorobenzene        | 6.259  | 114   | 84219    | 5.00     | ug/L  | 0.00     |
| 28) Chlorobenzene-d5          | 9.423  | 117   | 87522    | 5.00     | ug/L  | 0.00     |
| 58) 1,4-Dichlorobenzene-d4    | 11.819 | 152   | 38638    | 5.00     | ug/L  | 0.00     |
|                               |        |       |          |          |       |          |
| System Monitoring Compounds   |        |       |          |          |       |          |
| 4) Vinyl Chloride-d3          | 1.601  | 65    | 35466    | 5.23     | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 40 - 130 | Recovery | =     | 104.60%  |
| 7) Chloroethane-d5            | 1.916  | 69    | 26404    | 5.32     | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 130 | Recovery | =     | 106.40%  |
| 11) 1,1-Dichloroethene-d2     | 2.572  | 65    | 17817    | 5.36     | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 125 | Recovery | =     | 107.20%  |
| 20) 2-Butanone-d5             | 4.652  | 46    | 125447   | 59.67    | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 40 - 130 | Recovery | =     | 119.34%  |
| 24) Chloroform-d              | 5.073  | 84    | 70336    | 5.43     | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 108.60%  |
| 26) 1,2-Dichloroethane-d4     | 5.713  | 65    | 44823    | 5.74     | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 114.80%  |
| 32) Benzene-d6                | 5.735  | 84    | 126288   | 5.34     | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 106.80%  |
| 36) 1,2-Dichloropropane-d6    | 6.700  | 67    | 44533    | 5.36     | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 140 | Recovery | =     | 107.20%  |
| 41) Toluene-d8                | 7.906  | 98    | 105214   | 4.84     | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 96.80%   |
| 43) trans-1,3-Dichloroprop... | 8.185  | 79    | 16150    | 4.82     | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 55 - 130 | Recovery | =     | 96.40%   |
| 46) 2-Hexanone-d5             | 8.645  | 63    | 83865    | 59.70    | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 45 - 130 | Recovery | =     | 119.40%  |
| 56) 1,1,2,2-Tetrachloroeth... | 10.764 | 84    | 37264    | 5.60     | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 120 | Recovery | =     | 112.00%  |
| 66) 1,2-Dichlorobenzene-d4    | 12.201 | 152   | 40015    | 5.81     | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 80 - 120 | Recovery | =     | 116.20%  |
|                               |        |       |          |          |       |          |
| Target Compounds              |        |       |          |          |       | Qvalue   |
| 16) Methylene chloride        | 3.051  | 84    | 1771     | 0.23     | ug/L  | 90       |
| 47) Tetrachloroethene         | 8.562  | 164   | 44568    | 10.28    | ug/L  | 98       |
| -----                         |        |       |          |          |       |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU050321\  
Data File : VU043502.D  
Acq On : 03 May 2021 23:28  
Operator : SY/MD  
Sample : M2195-15DL 200X  
Misc : 25.0mL/MSVOA\_U/WATER  
ALS Vial : 33 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
GB3J3DL

Quant Time: May 04 08:26:30 2021  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR050321WMA.M  
Quant Title : TRACE VOA SFAM1.0  
QLast Update : Tue May 04 08:24:49 2021  
Response via : Initial Calibration

