

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU050322\
 Data File : VU048395.D
 Acq On : 03 May 2022 17:06
 Operator : SY/MD
 Sample : N2668-15
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXL78

Quant Time: May 04 01:40:56 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042522WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed May 04 01:37:47 2022
 Response via : Initial Calibration

Compound	R.T. QIon		Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	403458	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	410396	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	191619	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	208679	56.246	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	= 112.500%		
7) Chloroethane-d5	1.890	69	151729	58.262	ug/L	-0.01
Spiked Amount	50.000	Range 70 - 130	Recovery	= 116.520%		
11) 1,1-Dichloroethene-d2	2.562	63	244015	41.048	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	= 82.100%		
21) 2-Butanone-d5	4.620	46	301082	95.148	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	= 95.150%		
24) Chloroform-d	5.064	84	328755	48.853	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	= 97.700%		
26) 1,2-Dichloroethane-d4	5.700	65	207154	51.882	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	= 103.760%		
32) Benzene-d6	5.726	84	706656	54.596	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	= 109.200%		
36) 1,2-Dichloropropane-d6	6.690	67	222876	52.085	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	= 104.160%		
41) Toluene-d8	7.899	98	620950	52.926	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	= 105.860%		
43) trans-1,3-Dichloroprop...	8.179	79	94147	49.861	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	= 99.720%		
47) 2-Hexanone-d5	8.636	63	220516	95.516	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	= 95.520%		
56) 1,1,2,2-Tetrachloroeth...	10.758	84	368163	49.057	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	= 98.120%		
66) 1,2-Dichlorobenzene-d4	12.195	152	245764	57.015	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	= 114.020%		
Target Compounds						
22) 2-Butanone	4.716	43	3561	1.185	ug/L	Qvalue 76


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU050322\
Data File : VU048395.D
Acq On : 03 May 2022 17:06
Operator : SY/MD
Sample : N2668-15
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EXL78

Quant Time: May 04 01:40:56 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042522WMA.M
Quant Title : VOC Analysis
QLast Update : Wed May 04 01:37:47 2022
Response via : Initial Calibration





#22
2-Butanone
Concen: 1.185 ug/L
RT: 4.716 min Scan# 10
Delta R.T. 0.007 min
Lab File: VU048395.D
Acq: 03 May 2022 17:06

Instrument :
MSVOA_U
ClientSampleId :
EXL78

Tgt Ion: 43 Resp: 3561
Ion Ratio Lower Upper
43 100
72 16.2 14.6 43.8

