

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU050422\
 Data File : VU048418.D
 Acq On : 04 May 2022 17:20
 Operator : SY/MD
 Sample : N2632-02ME
 Misc : 7.65g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EW4A4ME

Quant Time: May 05 02:19:57 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042522WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu May 05 02:16:45 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.247	114	452068	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.423	117	436200	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.815	152	218857	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	168178	40.456	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	80.920%
7) Chloroethane-d5	1.874	69	36590	12.539	ug/L	-0.03
Spiked Amount	50.000	Range	70 - 130	Recovery	=	25.080%#
11) 1,1-Dichloroethene-d2	2.533	63	199593	29.965	ug/L	-0.03
Spiked Amount	50.000	Range	60 - 125	Recovery	=	59.940%#
21) 2-Butanone-d5	4.639	46	295710	83.402	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	83.400%
24) Chloroform-d	5.063	84	281438	37.325	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	74.640%
26) 1,2-Dichloroethane-d4	5.700	65	178082	39.805	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	79.600%
32) Benzene-d6	5.719	84	634200	46.100	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.200%
36) 1,2-Dichloropropane-d6	6.690	67	211225	46.442	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.880%
41) Toluene-d8	7.896	98	601851	48.264	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.520%
43) trans-1,3-Dichloroprop...	8.182	79	88341	44.019	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.040%
47) 2-Hexanone-d5	8.661	63	212962	86.787	ug/L	0.03
Spiked Amount	100.000	Range	45 - 130	Recovery	=	86.790%
56) 1,1,2,2-Tetrachloroeth...	10.764	84	321566	40.313	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	80.620%
66) 1,2-Dichlorobenzene-d4	12.198	152	230389	46.796	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.600%
Target Compounds					Qvalue	
22) 2-Butanone	4.719	43	32505	9.657	ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU050422\
Data File : VU048418.D
Acq On : 04 May 2022 17:20
Operator : SY/MD
Sample : N2632-02ME
Misc : 7.65g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EW4A4ME

Quant Time: May 05 02:19:57 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042522WMA.M
Quant Title : VOC Analysis
QLast Update : Thu May 05 02:16:45 2022
Response via : Initial Calibration

