

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU050422\
 Data File : VU048411.D
 Acq On : 04 May 2022 12:28
 Operator : SY/MD
 Sample : N2668-17
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXL68

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042522WMA.M

Title : VOC Analysis

Signal : TIC: VU048411.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.485	41	45	52	rVB2	4904	5281	0.28%	0.037%
2	1.600	73	81	101	rBV	250981	319386	16.66%	2.244%
3	1.893	163	172	187	rBV	162526	241181	12.58%	1.695%
4	2.469	348	351	354	rVB2	492	318	0.02%	0.002%
5	2.562	367	380	396	rBV	408465	670465	34.97%	4.711%
6	2.710	423	426	429	rBV3	406	399	0.02%	0.003%
7	2.777	432	447	473	rVV2	8210	23852	1.24%	0.168%
8	2.944	495	499	500	rBV2	291	187	0.01%	0.001%
9	3.044	525	530	532	rBV2	719	801	0.04%	0.006%
10	3.092	543	545	549	rVB	320	178	0.01%	0.001%
11	3.121	549	554	558	rBV2	417	391	0.02%	0.003%
12	3.186	558	574	600	rBV	28451	70632	3.68%	0.496%
13	3.308	608	612	615	rBV	302	218	0.01%	0.002%
14	3.356	622	627	630	rBV3	358	258	0.01%	0.002%
15	3.539	679	684	688	rBV2	229	300	0.02%	0.002%
16	3.575	688	695	698	rVB2	315	279	0.01%	0.002%
17	3.610	704	706	716	rVB2	337	386	0.02%	0.003%
18	3.665	716	723	725	rBV2	208	180	0.01%	0.001%
19	3.681	725	728	730	rBV	340	194	0.01%	0.001%
20	3.964	814	816	824	rVB2	245	285	0.01%	0.002%
21	4.044	838	841	845	rVB2	274	186	0.01%	0.001%
22	4.250	901	905	910	rVB2	278	315	0.02%	0.002%
23	4.530	986	992	995	rBV	338	233	0.01%	0.002%
24	4.620	1006	1020	1062	rBV	214947	533527	27.83%	3.749%
25	5.063	1141	1158	1187	rBV	335837	739198	38.56%	5.194%
26	5.211	1202	1204	1209	rBV3	266	196	0.01%	0.001%
27	5.250	1213	1216	1220	rBV2	337	286	0.01%	0.002%
28	5.292	1225	1229	1234	rVV4	633	523	0.03%	0.004%
29	5.526	1297	1302	1306	rBV2	482	324	0.02%	0.002%
30	5.603	1316	1326	1328	rBV	216	250	0.01%	0.002%
31	5.726	1340	1364	1394	rBV2	720021	1917228	100.00%	13.471%
32	5.976	1433	1442	1448	rBV7	1127	1786	0.09%	0.013%
33	6.041	1457	1462	1467	rVB2	274	335	0.02%	0.002%
34	6.111	1481	1484	1491	rBV3	455	399	0.02%	0.003%
35	6.250	1512	1527	1553	rBV	463656	877591	45.77%	6.166%
36	6.362	1560	1562	1571	rVB4	672	719	0.04%	0.005%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU050422\
 Data File : VU048411.D
 Acq On : 04 May 2022 12:28
 Operator : SY/MD
 Sample : N2668-17
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXL68

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042522WMA.M
 Title : VOC Analysis

37	6.401	1572	1574	1576	rBV2	433	197	0.01%	0.001%
38	6.539	1606	1617	1627	rBV8	4051	7929	0.41%	0.056%
39	6.578	1627	1629	1630	rBV	466	211	0.01%	0.001%
40	6.690	1649	1664	1690	rVV	443558	860831	44.90%	6.049%
41	6.800	1694	1698	1708	rVB5	1256	2118	0.11%	0.015%
42	6.854	1713	1715	1717	rVB	362	178	0.01%	0.001%
43	6.902	1727	1730	1735	rVB	270	192	0.01%	0.001%
44	6.935	1736	1740	1745	rVB2	189	179	0.01%	0.001%
45	7.179	1805	1816	1832	rVV7	4307	9953	0.52%	0.070%
46	7.343	1863	1867	1872	rBV2	308	252	0.01%	0.002%
47	7.565	1923	1936	1957	rBV	214188	377801	19.71%	2.655%
48	7.687	1968	1974	1980	rBV6	1643	2496	0.13%	0.018%
49	7.799	2003	2009	2016	rBV2	680	704	0.04%	0.005%
50	7.838	2016	2021	2022	rBV3	401	247	0.01%	0.002%
51	7.899	2025	2040	2056	rBV	868098	1503241	78.41%	10.563%
52	8.179	2115	2127	2147	rBV	154105	256544	13.38%	1.803%
53	8.343	2175	2178	2183	rBV3	258	268	0.01%	0.002%
54	8.381	2188	2190	2197	rVB4	504	442	0.02%	0.003%
55	8.449	2208	2211	2213	rBV	336	249	0.01%	0.002%
56	8.468	2213	2217	2230	rVV5	1272	2003	0.10%	0.014%
57	8.635	2255	2269	2316	rBV2	637752	1204302	62.81%	8.462%
58	9.156	2428	2431	2433	rBV2	445	266	0.01%	0.002%
59	9.172	2433	2436	2445	rVB4	578	558	0.03%	0.004%
60	9.250	2455	2460	2461	rBV	246	196	0.01%	0.001%
61	9.417	2497	2512	2533	rBV	678298	1122724	58.56%	7.889%
62	9.574	2557	2561	2565	rVB3	547	443	0.02%	0.003%
63	9.597	2565	2568	2573	rVB3	377	267	0.01%	0.002%
64	9.652	2577	2585	2590	rBV4	413	540	0.03%	0.004%
65	9.697	2592	2599	2606	rVB2	802	1306	0.07%	0.009%
66	9.777	2621	2624	2628	rVB	288	195	0.01%	0.001%
67	9.870	2650	2653	2655	rBV	239	179	0.01%	0.001%
68	10.015	2695	2698	2703	rBV	311	264	0.01%	0.002%
69	10.102	2721	2725	2728	rBV	419	374	0.02%	0.003%
70	10.221	2756	2762	2765	rBV	249	255	0.01%	0.002%
71	10.433	2822	2828	2829	rBV	308	215	0.01%	0.002%
72	10.536	2855	2860	2864	rBV2	305	310	0.02%	0.002%
73	10.671	2897	2902	2909	rVV2	1512	1763	0.09%	0.012%
74	10.758	2916	2929	2951	rBV	705925	1155280	60.26%	8.118%
75	10.841	2951	2955	2956	rBV	369	204	0.01%	0.001%
76	10.896	2965	2972	2982	rVB3	3159	5181	0.27%	0.036%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU050422\
 Data File : VU048411.D
 Acq On : 04 May 2022 12:28
 Operator : SY/MD
 Sample : N2668-17
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXL68

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042522WMA.M
 Title : VOC Analysis

77	10.934	2982	2984	2991	rVB2	218	191	0.01%	0.001%
78	11.008	3003	3007	3014	rVB	319	248	0.01%	0.002%
79	11.124	3038	3043	3045	rBV2	602	516	0.03%	0.004%
80	11.137	3045	3047	3053	rVV3	276	222	0.01%	0.002%
81	11.166	3054	3056	3059	rVB2	377	203	0.01%	0.001%
82	11.304	3095	3099	3103	rVB3	269	265	0.01%	0.002%
83	11.417	3130	3134	3138	rVB2	427	305	0.02%	0.002%
84	11.455	3138	3146	3149	rBV4	1191	1429	0.07%	0.010%
85	11.577	3181	3184	3187	rBV3	336	306	0.02%	0.002%
86	11.645	3201	3205	3207	rBV2	389	311	0.02%	0.002%
87	11.658	3207	3209	3213	rVV2	318	258	0.01%	0.002%
88	11.684	3213	3217	3218	rVV	359	317	0.02%	0.002%
89	11.693	3218	3220	3229	rVB2	765	682	0.04%	0.005%
90	11.812	3244	3257	3280	rBV	628083	990670	51.67%	6.961%
91	11.947	3293	3299	3302	rBV5	565	680	0.04%	0.005%
92	12.057	3328	3333	3334	rBV2	304	238	0.01%	0.002%
93	12.095	3343	3345	3349	rVB	341	191	0.01%	0.001%
94	12.118	3349	3352	3356	rVB2	419	273	0.01%	0.002%
95	12.195	3361	3376	3397	rBV	808391	1302665	67.95%	9.153%
96	12.716	3534	3538	3540	rBV2	603	428	0.02%	0.003%
97	12.774	3547	3556	3563	rBV3	862	1488	0.08%	0.010%
98	12.873	3584	3587	3590	rBV2	426	333	0.02%	0.002%
99	13.102	3656	3658	3662	rBV3	350	261	0.01%	0.002%
100	13.429	3758	3760	3765	rVB3	389	225	0.01%	0.002%

Sum of corrected areas: 14231829

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU050422\
Data File : VU048411.D
Acq On : 04 May 2022 12:28
Operator : SY/MD
Sample : N2668-17
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EXL68

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042522WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU050422\
Data File : VU048411.D
Acq On : 04 May 2022 12:28
Operator : SY/MD
Sample : N2668-17
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EXL68

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042522WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc