

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU050619\
 Data File : VU031765.D
 Acq On : 06 May 2019 09:20
 Operator : JC/SP
 Sample : VU0506MBL01
 Misc : 5.00µ/5mL/100µL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK58

Quant Time: May 07 08:53:27 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue May 07 08:38:32 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	704402	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	698663	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	272985	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	257351	43.65	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	87.30%
7) Chloroethane-d5	1.68	69	211380	46.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.80%
11) 1,1-Dichloroethene-d2	2.27	63	377626	32.17	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.34%
21) 2-Butanone-d5	4.19	46	594748	111.35	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	111.35%
24) Chloroform-d	4.64	84	479392	44.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.80%
26) 1,2-Dichloroethane-d4	5.31	65	328973	46.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.28%
32) Benzene-d6	5.34	84	926694	43.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.38%
36) 1,2-Dichloropropane-d6	6.33	67	337826	44.76	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	89.52%
41) Toluene-d8	7.56	98	724333	38.76	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	77.52%#
43) trans-1,3-Dichloropropene-	7.85	79	136936	42.26	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.52%
47) 2-Hexanone-d5	8.31	63	334645	102.43	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	102.43%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	461519	45.56	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.12%
64) 1,2-Dichlorobenzene-d4	11.85	152	256102	44.61	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.22%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU050619\
Data File : VU031765.D
Acq On : 06 May 2019 09:20
Operator : JC/SP
Sample : VU0506MBL01
Misc : 5.00g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK58

Quant Time: May 07 08:53:27 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
Quant Title : VOC Analysis
QLast Update : Tue May 07 08:38:32 2019
Response via : Initial Calibration

