

Data Path : W:\HPCHEM1\MSVOA_U\DATA\VU050718\
 Data File : VU023714.D
 Acq On : 07 May 2018 14:35
 Operator : MD/SY
 Sample : J2725-02
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Quant Time: May 08 04:49:39 2018
 Quant Method : W:\HPCHEM1\MSVOA_U\METHOD\SOMULM050118WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue May 08 04:32:26 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	329798	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	322216	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	155196	50.00	ug/L	0.00

System Monitoring Compounds


4) Vinyl Chloride-d3	1.40	65	92804	39.70	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	79.40%
7) Chloroethane-d5	1.68	69	79216	44.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	88.92%
11) 1,1-Dichloroethene-d2	2.27	63	141368	31.02	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.04%
21) 2-Butanone-d5	4.18	46	238497	147.68	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	147.68%#
24) Chloroform-d	4.65	84	188260	48.70	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.40%
26) 1,2-Dichloroethane-d4	5.31	65	132474	49.28	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.56%
32) Benzene-d6	5.35	84	398832	46.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.26%
36) 1,2-Dichloropropane-d6	6.34	67	137932	47.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.26%
41) Toluene-d8	7.57	98	350517	43.98	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.96%
43) trans-1,3-Dichloropropene-	7.85	79	54870	44.02	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.04%
47) 2-Hexanone-d5	8.31	63	193147	175.64	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	175.64%#
57) 1,1,2,2-Tetrachloroethane-	10.44	84	204478	54.59	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	109.18%
64) 1,2-Dichlorobenzene-d4	11.86	152	150570	49.73	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.46%


Target Compounds						Qvalue
37) 1,2-Dichloropropane	6.34	63	13720	4.22	ug/L	# 88
59) 1,2,3-Trichloropropane	11.49	75	17908	4.98	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : W:\HPCHEM1\MSVOA_U\DATA\VU050718\
Data File : VU023714.D
Acq On : 07 May 2018 14:35
Operator : MD/SY
Sample : J2725-02
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 11 Sample Multiplier: 1





Quant Time: May 08 04:49:39 2018
Quant Method : W:\HPCHEM1\MSVOA_U\METHOD\SOMULM050118WMA.M
Quant Title : VOC Analysis
QLast Update : Tue May 08 04:32:26 2018
Response via : Initial Calibration





#37
 1,2-Dichloropropane
 Concen: 4.22 ug/L
 RT: 6.34 min Scan# 1787
 Delta R.T. -0.10 min
 Lab File: VU023714.D
 Acq: 07 May 2018 14:35

Tgt Ion: 63 Resp: 13720
 Ion Ratio Lower Upper
 63 100
 112 0.0 3.1 4.7#



#59
 1,2,3-Trichloropropane
 Concen: 4.98 ug/L
 RT: 11.49 min Scan# 3389
 Delta R.T. 0.99 min
 Lab File: VU023714.D
 Acq: 07 May 2018 14:35

Tgt Ion: 75 Resp: 17908
 Ion Ratio Lower Upper
 75 100
 77 36.3 25.9 38.9

