

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU050719\
 Data File : VU031795.D
 Acq On : 07 May 2019 11:33
 Operator : JC/SP
 Sample : VU0507WBL01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK31

Quant Time: May 08 07:07:40 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed May 08 06:47:54 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	631337	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	620973	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	231079	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	264797	50.11	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	100.22%
7) Chloroethane-d5	1.68	69	200274	49.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.10%
11) 1,1-Dichloroethene-d2	2.27	63	410269	38.99	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	77.98%
21) 2-Butanone-d5	4.18	46	546254	114.10	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	114.10%
24) Chloroform-d	4.64	84	476660	49.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.52%
26) 1,2-Dichloroethane-d4	5.31	65	347373	54.94	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	109.88%
32) Benzene-d6	5.34	84	938130	49.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.40%
36) 1,2-Dichloropropane-d6	6.32	67	335060	49.94	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.88%
41) Toluene-d8	7.56	98	765548	46.09	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.18%
43) trans-1,3-Dichloropropene-	7.85	79	134672	46.76	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.52%
47) 2-Hexanone-d5	8.31	63	299249	103.06	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	103.06%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	426371	47.36	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.72%
64) 1,2-Dichlorobenzene-d4	11.85	152	237983	48.97	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.94%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU050719\
Data File : VU031795.D
Acq On : 07 May 2019 11:33
Operator : JC/SP
Sample : VU0507WBL01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK31

Quant Time: May 08 07:07:40 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
Quant Title : VOC Analysis
QLast Update : Wed May 08 06:47:54 2019
Response via : Initial Calibration

