

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU050819\
 Data File : VU031831.D
 Acq On : 08 May 2019 19:22
 Operator : JC/SP
 Sample : K2744-02
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9D44

Quant Time: May 09 06:43:10 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050819WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu May 09 05:32:34 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	421544	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	436543	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	165985	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	138432	4.82	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	96.40%
7) Chloroethane-d5	1.67	69	121873	5.14	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	102.80%
11) 1,1-Dichloroethene-d2	2.27	63	204497	3.30	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	66.00%
20) 2-Butanone-d5	4.19	46	501652	44.72	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	89.44%
24) Chloroform-d	4.64	84	270934	4.60	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.00%
26) 1,2-Dichloroethane-d4	5.31	65	155626	4.35	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.00%
32) Benzene-d6	5.33	84	519679	4.65	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.00%
36) 1,2-Dichloropropane-d6	6.33	67	185523	4.52	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	90.40%
41) Toluene-d8	7.56	98	408940	4.28	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.60%
43) trans-1,3-Dichloropropene-	7.85	79	57865	4.02	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	80.40%
46) 2-Hexanone-d5	8.31	63	331180	45.47	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	90.94%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	143838	4.50	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	90.00%
64) 1,2-Dichlorobenzene-d4	11.86	152	143807	5.24	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.80%


Target Compounds					Ovalue
3) Chloromethane	1.33	50	9746	0.169 ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU050819\
Data File : VU031831.D
Acq On : 08 May 2019 19:22
Operator : JC/SP
Sample : K2744-02
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F9D44

Quant Time: May 09 06:43:10 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050819WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu May 09 05:32:34 2019
Response via : Initial Calibration





#3
 Chloromethane
 Concen: 0.169 ug/L
 RT: 1.33 min Scan# 74
 Delta R.T. 0.00 min
 Lab File: VU031831.D
 Acq: 08 May 2019 19:22

Instrument :
 MSVOA_U
 ClientSampleId :
 F9D44

Tot Ion: 50 Resp: 9746
 Ion Ratio Lower Upper
 50 100
 52 32.0 22.5 41.7

