

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU050819\
 Data File : VU031857.D
 Acq On : 09 May 2019 06:32
 Operator : JC/SP
 Sample : K2743-18
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 50 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9D31

Quant Time: May 09 08:02:57 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050819WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu May 09 06:57:14 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	423931	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	439313	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	154453	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	129508	4.48	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	89.60%
7) Chloroethane-d5	1.67	69	121475	5.10	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	102.00%
11) 1,1-Dichloroethene-d2	2.27	63	200813	3.23	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	64.60%
20) 2-Butanone-d5	4.18	46	520928	46.18	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	92.36%
24) Chloroform-d	4.64	84	278545	4.70	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.00%
26) 1,2-Dichloroethane-d4	5.31	65	158119	4.40	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.00%
32) Benzene-d6	5.33	84	535260	4.76	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.20%
36) 1,2-Dichloropropane-d6	6.33	67	195044	4.72	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.40%
41) Toluene-d8	7.56	98	397419	4.13	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.60%
43) trans-1,3-Dichloropropene-	7.85	79	54240	3.74	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	74.80%
46) 2-Hexanone-d5	8.31	63	333711	45.53	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	91.06%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	156263	4.86	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	97.20%
64) 1,2-Dichlorobenzene-d4	11.86	152	139631	5.47	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	109.40%


Target Compounds					Ovalue
13) Acetone	2.31	43	12237	1.588 ug/L	84
47) Tetrachloroethene	8.22	164	3744	0.149 ug/L	79


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU050819\
Data File : VU031857.D
Acq On : 09 May 2019 06:32
Operator : JC/SP
Sample : K2743-18
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 50 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F9D31

Quant Time: May 09 08:02:57 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050819WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu May 09 06:57:14 2019
Response via : Initial Calibration





#13

Acetone

Concen: 1.588 ug/L

RT: 2.31 min Scan# 381

Delta R.T. -0.01 min

Lab File: VU031857.D

Acq: 09 May 2019 06:32

Instrument :

MSVOA_U

ClientSampleId :


F9D31

Tot Ion: 43 Resp: 12237

Ion Ratio Lower Upper

43 100

58 34.9 0.0 53.6



Abundance Ion 43.05 (42.75 to 43.75): VU031857.D (-290) (-)

Ion 58.05 (57.75 to 58.75): VU031857.D (-290) (-)

8000

6000

4000



2000

0

Time-->

2.25 2.30 2.35

2.31



#47

Tetrachloroethene

Concen: 0.149 ug/L

RT: 8.22 min Scan# 2219

Delta R.T. 0.00 min

Lab File: VU031857.D

Acq: 09 May 2019 06:32

Tgt Ion: 164 Resp: 3744


Ion Ratio Lower Upper

164 100

129 78.4 70.3 130.5

131 71.6 65.4 121.4

166 101.8 86.0 159.8



Abundance Ion 163.90 (163.60 to 164.60): VU031857.D (-2125) (-)

Ion 128.95 (128.65 to 129.65): VU031857.D (-2125) (-)

Ion 130.95 (130.65 to 131.65): VU031857.D (-2125) (-)

Ion 165.90 (165.60 to 166.60): VU031857.D (-2125) (-)

4000

3000

2000

1000

0

Time-->

8.20 8.25

8.22

