

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU050819\
 Data File : VU031864.D
 Acq On : 09 May 2019 10:02
 Operator : JC/SP
 Sample : K2695-10
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0XH4

Quant Time: May 10 04:10:11 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050819WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri May 10 03:36:08 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	421728	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	428647	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	166727	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	130549	4.54	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	90.80%
7) Chloroethane-d5	1.68	69	112255	4.74	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	94.80%
11) 1,1-Dichloroethene-d2	2.27	63	192090	3.10	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	62.00%
20) 2-Butanone-d5	4.21	46	515004	45.89	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	91.78%
24) Chloroform-d	4.64	84	265603	4.51	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.20%
26) 1,2-Dichloroethane-d4	5.31	65	155476	4.35	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.00%
32) Benzene-d6	5.33	84	489875	4.47	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.40%
36) 1,2-Dichloropropane-d6	6.33	67	181817	4.51	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	90.20%
41) Toluene-d8	7.56	98	372933	3.97	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.40%
43) trans-1,3-Dichloropropene-	7.85	79	55356	3.91	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	78.20%
46) 2-Hexanone-d5	8.31	63	333644	46.65	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	93.30%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	143830	4.58	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	91.60%
64) 1,2-Dichlorobenzene-d4	11.86	152	146054	5.30	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	106.00%


Target Compounds					Ovalue
13) Acetone	2.35	43	38081	4.969 ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU050819\
Data File : VU031864.D
Acq On : 09 May 2019 10:02
Operator : JC/SP
Sample : K2695-10
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0XH4

Quant Time: May 10 04:10:11 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050819WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri May 10 03:36:08 2019
Response via : Initial Calibration





#13

Acetone

Concen: 4.969 ug/L

RT: 2.35 min Scan# 391

Delta R.T. 0.00 min

Lab File: VU031864.D

Acq: 09 May 2019 10:02

Instrument :
MSVOA_U
ClientSampleId :
C0XH4

Tot Ion: 43 Resp: 38081

Ion Ratio Lower Upper

43 100

58 30.9 0.0 53.6

