

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU050820\
 Data File : VU038082.D
 Acq On : 08 May 2020 14:39
 Operator : JC/MD
 Sample : L2538-02
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AF0

Quant Time: May 09 01:54:20 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat May 09 00:11:09 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	358406	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	351224	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	162674	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	143724	4.38	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	87.60%
7) Chloroethane-d5	1.93	69	126096	4.45	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	89.00%
11) 1,1-Dichloroethene-d2	2.59	63	182165	3.32	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	66.40%
20) 2-Butanone-d5	4.66	46	376276	46.52	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	93.04%
24) Chloroform-d	5.10	84	218326	4.39	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.80%
26) 1,2-Dichloroethane-d4	5.74	65	132608	4.65	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.00%
32) Benzene-d6	5.76	84	509128	4.84	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.80%
36) 1,2-Dichloropropane-d6	6.72	67	160251	4.72	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.40%
41) Toluene-d8	7.93	98	446177	4.72	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.40%
43) trans-1,3-Dichloropropene-	8.20	79	58717	4.32	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.40%
46) 2-Hexanone-d5	8.65	63	307624	47.88	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	95.76%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	118732	4.43	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	88.60%
64) 1,2-Dichlorobenzene-d4	12.21	152	155463	4.91	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	98.20%


Target Compounds					Ovalue
13) Acetone	2.65	43	23902	4.710 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU050820\
Data File : VU038082.D
Acq On : 08 May 2020 14:39
Operator : JC/MD
Sample : L2538-02
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AF0

Quant Time: May 09 01:54:20 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat May 09 00:11:09 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 4.710 ug/L
 RT: 2.65 min Scan# 408
 Delta R.T. -0.00 min
 Lab File: VU038082.D
 Acq: 08 May 2020 14:39

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AF0

Tot Ion: 43 Resp: 23902
 Ion Ratio Lower Upper
 43 100
 58 34.6 0.0 63.6

