

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU050823\
 Data File : VU054077.D
 Acq On : 08 May 2023 13:58
 Operator : JC/MD
 Sample : 02662-12
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 COB01

Quant Time: May 09 04:38:57 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042923WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat May 06 01:14:00 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.243	114	229783	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.414	117	220944	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.809	152	109146	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	68213	39.251	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	78.500%		
7) Chloroethane-d5	1.909	69	57752	50.625	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	101.260%		
11) 1,1-Dichloroethene-d2	2.562	63	101529	32.939	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	65.880%		
21) 2-Butanone-d5	4.623	46	101185	102.086	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	102.090%		
24) Chloroform-d	5.057	84	149819	46.939	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	93.880%		
26) 1,2-Dichloroethane-d4	5.697	65	98960	48.289	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	96.580%		
32) Benzene-d6	5.722	84	293682	45.157	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	90.320%		
36) 1,2-Dichloropropane-d6	6.687	67	93895	45.733	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	91.460%		
41) Toluene-d8	7.893	98	267832	45.615	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	91.240%		
43) trans-1,3-Dichloroprop...	8.176	79	46707	45.970	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	91.940%		
47) 2-Hexanone-d5	8.629	63	63278	86.050	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	86.050%		
56) 1,1,2,2-Tetrachloroeth...	10.751	84	128773	47.617	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	95.240%		
66) 1,2-Dichlorobenzene-d4	12.188	152	108927	51.087	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	102.180%		
Target Compounds					Qvalue	
12) 1,1-Dichloroethene	2.562	96	849	0.637	ug/L #	1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU050823\
Data File : VU054077.D
Acq On : 08 May 2023 13:58
Operator : JC/MD
Sample : 02662-12
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0B01

Quant Time: May 09 04:38:57 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042923WMA.M
Quant Title : VOC Analysis
QLast Update : Sat May 06 01:14:00 2023
Response via : Initial Calibration





#12
1,1-Dichloroethene
Concen: 0.637 ug/L
RT: 2.562 min Scan# 380
Delta R.T. -0.016 min
Lab File: VU054077.D
Acq: 08 May 2023 13:58

Instrument :
MSVOA_U
ClientSampleId :
C0B01

Tgt Ion: 96 Resp: 849
Ion Ratio Lower Upper
96 100
61 1485.0 118.3 219.7#
63 12858.2 92.3 171.5#

