

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU050923\
 Data File : VU054119.D
 Acq On : 09 May 2023 12:23
 Operator : JC/MD
 Sample : 02689-24
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 JREQ3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042923WMA.M
 Title : VOC Analysis

Signal : TIC: VU054119.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.597	73	80	98	rVB	81781	98472	12.28%	1.644%
2	1.909	170	177	193	rVB	63916	89546	11.17%	1.495%
3	2.562	368	380	397	rBV	154812	251069	31.31%	4.192%
4	2.944	496	499	504	rBV2	290	336	0.04%	0.006%
5	3.041	521	529	540	rVB5	2267	3983	0.50%	0.067%
6	3.102	546	548	550	rBV	168	72	0.01%	0.001%
7	3.276	600	602	604	rBV	160	80	0.01%	0.001%
8	3.391	635	638	641	rVB2	165	102	0.01%	0.002%
9	3.414	641	645	649	rBV2	212	173	0.02%	0.003%
10	3.568	690	693	695	rBV	175	93	0.01%	0.002%
11	3.620	706	709	714	rVB2	242	154	0.02%	0.003%
12	3.706	731	736	741	rBV2	357	338	0.04%	0.006%
13	3.813	766	769	773	rVB2	273	203	0.03%	0.003%
14	3.838	774	777	783	rBV	196	123	0.02%	0.002%
15	3.861	783	784	786	rBV	242	81	0.01%	0.001%
16	3.877	786	789	792	rBV2	220	175	0.02%	0.003%
17	3.893	792	794	796	rBV	171	87	0.01%	0.001%
18	3.938	806	808	811	rBV	191	80	0.01%	0.001%
19	4.144	870	872	874	rVB	279	116	0.01%	0.002%
20	4.170	875	880	882	rBV2	318	338	0.04%	0.006%
21	4.231	896	899	901	rBV	226	155	0.02%	0.003%
22	4.340	930	933	936	rVB	182	94	0.01%	0.002%
23	4.369	940	942	944	rBV	153	84	0.01%	0.001%
24	4.620	1009	1020	1048	rBV2	68486	175912	21.93%	2.937%
25	4.999	1135	1138	1140	rVB2	215	113	0.01%	0.002%
26	5.057	1140	1156	1181	rBV	147661	326298	40.69%	5.448%
27	5.362	1249	1251	1253	rVB	148	59	0.01%	0.001%
28	5.391	1258	1260	1262	rBV2	161	87	0.01%	0.001%
29	5.517	1296	1299	1301	rBV	228	139	0.02%	0.002%
30	5.559	1309	1312	1316	rBV2	318	284	0.04%	0.005%
31	5.584	1316	1320	1323	rVV	356	301	0.04%	0.005%
32	5.632	1329	1335	1337	rBV2	310	307	0.04%	0.005%
33	5.719	1341	1362	1395	rVV2	285458	801978	100.00%	13.391%
34	5.960	1434	1437	1439	rBV	184	104	0.01%	0.002%
35	6.041	1461	1462	1465	rBV	245	104	0.01%	0.002%
36	6.076	1470	1473	1475	rBV	132	111	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU050923\
 Data File : VU054119.D
 Acq On : 09 May 2023 12:23
 Operator : JC/MD
 Sample : 02689-24
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 JREQ3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042923WMA.M
 Title : VOC Analysis

37	6.095	1475	1479	1481	rBV2	210	193	0.02%	0.003%
38	6.105	1481	1482	1484	rBV2	263	94	0.01%	0.002%
39	6.243	1512	1525	1545	rBV	241031	456550	56.93%	7.623%
40	6.530	1603	1614	1623	rBV4	2150	4157	0.52%	0.069%
41	6.597	1633	1635	1637	rBV4	148	69	0.01%	0.001%
42	6.684	1648	1662	1681	rBV	187606	365809	45.61%	6.108%
43	6.841	1709	1711	1715	rVB	177	73	0.01%	0.001%
44	6.877	1720	1722	1725	rBV2	183	99	0.01%	0.002%
45	7.009	1760	1763	1765	rBV	188	108	0.01%	0.002%
46	7.118	1794	1797	1799	rBV	154	75	0.01%	0.001%
47	7.163	1808	1811	1813	rBV	188	157	0.02%	0.003%
48	7.185	1813	1818	1823	rBV3	844	1096	0.14%	0.018%
49	7.382	1877	1879	1882	rVB	174	111	0.01%	0.002%
50	7.481	1907	1910	1912	rBV2	215	127	0.02%	0.002%
51	7.558	1922	1934	1958	rBV	99580	179621	22.40%	2.999%
52	7.848	2021	2024	2025	rBV	249	153	0.02%	0.003%
53	7.893	2025	2038	2057	rBV	352976	611103	76.20%	10.204%
54	8.079	2094	2096	2098	rVB	234	102	0.01%	0.002%
55	8.095	2098	2101	2104	rVB2	230	149	0.02%	0.002%
56	8.108	2104	2105	2106	rVB2	216	42	0.01%	0.001%
57	8.176	2107	2126	2143	rBV	73836	127858	15.94%	2.135%
58	8.330	2169	2174	2177	rBV2	297	227	0.03%	0.004%
59	8.391	2191	2193	2197	rBV	228	164	0.02%	0.003%
60	8.430	2203	2205	2206	rBV	142	55	0.01%	0.001%
61	8.581	2250	2252	2256	rVB2	211	144	0.02%	0.002%
62	8.629	2256	2267	2301	rBV2	195678	376214	46.91%	6.282%
63	8.832	2327	2330	2332	rBV	235	123	0.02%	0.002%
64	8.870	2339	2342	2346	rBV2	208	183	0.02%	0.003%
65	8.967	2370	2372	2373	rBV2	179	85	0.01%	0.001%
66	9.041	2393	2395	2396	rBV2	123	33	0.00%	0.001%
67	9.095	2408	2412	2413	rBV	197	141	0.02%	0.002%
68	9.227	2451	2453	2457	rVB2	269	136	0.02%	0.002%
69	9.272	2465	2467	2471	rVB2	171	125	0.02%	0.002%
70	9.410	2497	2510	2529	rBV	326854	552524	68.90%	9.226%
71	9.597	2565	2568	2569	rBV2	250	140	0.02%	0.002%
72	9.883	2654	2657	2660	rBV2	240	191	0.02%	0.003%
73	9.941	2673	2675	2678	rBV	160	83	0.01%	0.001%
74	10.092	2719	2722	2726	rBV2	259	198	0.02%	0.003%
75	10.584	2873	2875	2877	rBV	205	89	0.01%	0.001%
76	10.751	2914	2927	2949	rBV	263658	433449	54.05%	7.237%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU050923\
 Data File : VU054119.D
 Acq On : 09 May 2023 12:23
 Operator : JC/MD
 Sample : 02689-24
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 JREQ3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042923WMA.M

Title : VOC Analysis

77	10.825	2949	2950	2956	rVB	391	267	0.03%	0.004%
78	11.192	3062	3064	3069	rVB	266	180	0.02%	0.003%
79	11.806	3243	3255	3274	rBV	336974	535400	66.76%	8.940%
80	12.188	3361	3374	3396	rBV	356621	588523	73.38%	9.827%
81	12.542	3481	3484	3488	rBV	303	258	0.03%	0.004%
82	12.738	3543	3545	3550	rBV3	274	209	0.03%	0.003%
83	13.253	3703	3705	3708	rBV2	281	190	0.02%	0.003%
84	14.288	4024	4027	4028	rBV2	405	207	0.03%	0.003%




Sum of corrected areas: 5989035

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU050923\
Data File : VU054119.D
Acq On : 09 May 2023 12:23
Operator : JC/MD
Sample : 02689-24
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
JREQ3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042923WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU050923\
Data File : VU054119.D
Acq On : 09 May 2023 12:23
Operator : JC/MD
Sample : 02689-24
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
JREQ3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042923WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU050923\
Data File : VU054119.D
Acq On : 09 May 2023 12:23
Operator : JC/MD
Sample : 02689-24
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
JREQ3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM042923WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
				#	RT Resp Conc