

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU051019\
 Data File : VU031896.D
 Acq On : 10 May 2019 18:21
 Operator : JC/SP
 Sample : K2742-06
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0C32

Quant Time: May 11 03:04:04 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat May 11 02:45:36 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	1041386	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	1051590	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	405955	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	402677	46.20	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.40%
7) Chloroethane-d5	1.67	69	345276	51.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	102.52%
11) 1,1-Dichloroethene-d2	2.27	63	567091	32.67	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.34%
21) 2-Butanone-d5	4.17	46	701559	88.84	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	88.84%
24) Chloroform-d	4.64	84	728291	45.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.26%
26) 1,2-Dichloroethane-d4	5.31	65	488058	46.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.60%
32) Benzene-d6	5.34	84	1508574	46.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.44%
36) 1,2-Dichloropropane-d6	6.32	67	512445	45.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	90.22%
41) Toluene-d8	7.56	98	1273968	45.30	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.60%
43) trans-1,3-Dichloropropene-	7.85	79	207581	42.56	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.12%
47) 2-Hexanone-d5	8.31	63	463006	94.16	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.16%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	704983	46.24	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.48%
64) 1,2-Dichlorobenzene-d4	11.86	152	433610	50.79	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.58%


Target Compounds					Ovalue
13) Acetone	2.32	43	45432	5.108 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU051019\
Data File : VU031896.D
Acq On : 10 May 2019 18:21
Operator : JC/SP
Sample : K2742-06
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0C32

Quant Time: May 11 03:04:04 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
Quant Title : VOC Analysis
QLast Update : Sat May 11 02:45:36 2019
Response via : Initial Calibration





#13

Acetone

Concen: 5.108 ug/L

RT: 2.32 min Scan# 383

Delta R.T. 0.00 min

Lab File: VU031896.D

Acq: 10 May 2019 18:21

Instrument :
MSVOA_U
ClientSampleId :
C0C32

Tot Ion: 43 Resp: 45432

Ion Ratio Lower Upper

43 100

58 34.5 0.0 64.4

