

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU051019\
 Data File : VU031902.D
 Acq On : 10 May 2019 20:43
 Operator : JC/SP
 Sample : K2742-04
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0C30

Quant Time: May 11 04:03:42 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat May 11 02:45:36 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	997357	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	1006187	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	367775	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	380895	45.63	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	91.26%
7) Chloroethane-d5	1.67	69	323439	50.14	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	100.28%
11) 1,1-Dichloroethene-d2	2.26	63	532760	32.05	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.10%
21) 2-Butanone-d5	4.17	46	664690	87.89	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	87.89%
24) Chloroform-d	4.64	84	686445	44.90	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.80%
26) 1,2-Dichloroethane-d4	5.31	65	460944	46.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.30%
32) Benzene-d6	5.33	84	1423828	46.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.16%
36) 1,2-Dichloropropane-d6	6.32	67	484843	44.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	89.20%
41) Toluene-d8	7.56	98	1215178	45.15	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.30%
43) trans-1,3-Dichloropropene-	7.85	79	190106	40.74	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.48%
47) 2-Hexanone-d5	8.31	63	433537	92.14	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	92.14%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	679321	46.57	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.14%
64) 1,2-Dichlorobenzene-d4	11.85	152	392118	50.70	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.40%


Target Compounds				Ovalue
13) Acetone	2.32	43	16599	1.948 ug/L 91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU051019\
Data File : VU031902.D
Acq On : 10 May 2019 20:43
Operator : JC/SP
Sample : K2742-04
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0C30

Quant Time: May 11 04:03:42 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
Quant Title : VOC Analysis
QLast Update : Sat May 11 02:45:36 2019
Response via : Initial Calibration





#13
 Acetone
 Concen: 1.948 ug/L
 RT: 2.32 min Scan# 382
 Delta R.T. -0.00 min
 Lab File: VU031902.D
 Acq: 10 May 2019 20:43

Instrument :
 MSVOA_U
 ClientSampleID :
 C0C30

Tot Ion: 43 Resp: 16599
 Ion Ratio Lower Upper
 43 100
 58 37.1 0.0 64.4

