

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU051019\
 Data File : VU031903.D
 Acq On : 10 May 2019 21:07
 Operator : JC/SP
 Sample : K2742-03
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0C29

Quant Time: May 11 04:05:37 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat May 11 02:45:36 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	1020264	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	1017631	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	372137	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	382142	44.75	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.50%
7) Chloroethane-d5	1.67	69	329475	49.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	99.86%
11) 1,1-Dichloroethene-d2	2.26	63	538451	31.66	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.32%
21) 2-Butanone-d5	4.17	46	671703	86.82	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	86.82%
24) Chloroform-d	4.64	84	703899	45.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.02%
26) 1,2-Dichloroethane-d4	5.30	65	469085	45.91	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.82%
32) Benzene-d6	5.33	84	1438618	46.04	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.08%
36) 1,2-Dichloropropane-d6	6.32	67	501483	45.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	91.22%
41) Toluene-d8	7.56	98	1224643	44.99	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.98%
43) trans-1,3-Dichloropropene-	7.85	79	192925	40.88	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.76%
47) 2-Hexanone-d5	8.31	63	426864	89.70	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	89.70%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	681676	46.20	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.40%
64) 1,2-Dichlorobenzene-d4	11.86	152	406799	51.98	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.96%


Target Compounds				Ovalue
13) Acetone	2.32	43	19516	2.239 ug/L 88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU051019\
Data File : VU031903.D
Acq On : 10 May 2019 21:07
Operator : JC/SP
Sample : K2742-03
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0C29

Quant Time: May 11 04:05:37 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
Quant Title : VOC Analysis
QLast Update : Sat May 11 02:45:36 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.239 ug/L

RT: 2.32 min Scan# 383

Delta R.T. 0.00 min

Lab File: VU031903.D

Acq: 10 May 2019 21:07

Instrument :

MSVOA_U

ClientSampleId :

C0C29

Tot Ion: 43 Resp: 19516

Ion Ratio Lower Upper

43 100

58 38.9 0.0 64.4

