

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU051119\
 Data File : VU031920.D
 Acq On : 11 May 2019 10:54
 Operator : JC/SP
 Sample : K2705-11
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B49

Manual Integrations
 APPROVED

MMDadoda
 5/13/2019 12:46:13 PM

Quant Time: May 13 03:47:04 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon May 13 01:54:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	929140	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	931230	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	337940	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	335127	43.10	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.20%
7) Chloroethane-d5	1.67	69	304929	50.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	101.48%
11) 1,1-Dichloroethene-d2	2.27	63	491431	31.73	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.46%
21) 2-Butanone-d5	4.17	46	654660	92.92	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	92.92%
24) Chloroform-d	4.64	84	666108m	46.77	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.54%
26) 1,2-Dichloroethane-d4	5.30	65	444575	47.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.56%
32) Benzene-d6	5.33	84	1347658	47.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.26%
36) 1,2-Dichloropropane-d6	6.32	67	463190	46.04	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.08%
41) Toluene-d8	7.56	98	1120019	44.97	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.94%
43) trans-1,3-Dichloropropene-	7.85	79	189261	43.82	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.64%
47) 2-Hexanone-d5	8.31	63	442317	101.58	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	101.58%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	683183	50.60	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	101.20%
64) 1,2-Dichlorobenzene-d4	11.85	152	386811	54.43	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	108.86%

Target Compounds

					Ovalue
5) Vinyl chloride	1.40	62	28938	2.504 ug/L	# 28
13) Acetone	2.32	43	11151	1.405 ug/L	88
20) cis-1,2-Dichloroethene	4.22	96	325821	40.212 ug/L	96
34) Trichloroethene	6.18	95	508178	61.231 ug/L	97
46) Tetrachloroethene	8.23	164	14052	2.484 ug/L	87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU051119\
Data File : VU031920.D
Acq On : 11 May 2019 10:54
Operator : JC/SP
Sample : K2705-11
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0B49

Manual Integrations
APPROVED

MMDadoda
5/13/2019 12:46:13 PM

Quant Time: May 13 03:47:04 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042719WMA.M
Quant Title : VOC Analysis
QLast Update : Mon May 13 01:54:07 2019
Response via : Initial Calibration

