

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051121\
 Data File : VU043654.D
 Acq On : 11 May 2021 10:36
 Operator : SY/MD
 Sample : VU0511WBL01
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK148

Quant Time: May 12 01:27:17 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR050321WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed May 12 01:26:46 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.260	114	88449	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.423	117	88424	5.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.819	152	39204	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	28859	4.06	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	81.20%
7) Chloroethane-d5	1.919	69	24198	4.65	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	93.00%
11) 1,1-Dichloroethene-d2	2.572	65	15052	4.31	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	86.20%
20) 2-Butanone-d5	4.649	46	117044	53.01	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	106.02%
24) Chloroform-d	5.073	84	64014	4.70	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.00%
26) 1,2-Dichloroethane-d4	5.713	65	40891	4.99	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.80%
32) Benzene-d6	5.739	84	115705	4.84	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.80%
36) 1,2-Dichloropropane-d6	6.700	67	43932	5.24	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	104.80%
41) Toluene-d8	7.906	98	95410	4.34	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.80%
43) trans-1,3-Dichloroprop...	8.189	79	15973	4.72	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	94.40%
46) 2-Hexanone-d5	8.645	63	90033	63.44	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	126.88%
56) 1,1,2,2-Tetrachloroeth...	10.764	84	36259	5.39	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	107.80%
66) 1,2-Dichlorobenzene-d4	12.201	152	36557	5.23	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.60%
Target Compounds						Qvalue
16) Methylene chloride	3.054	84	1455	0.18	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051121\
Data File : VU043654.D
Acq On : 11 May 2021 10:36
Operator : SY/MD
Sample : VU0511WBL01
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK148

Quant Time: May 12 01:27:17 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR050321WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed May 12 01:26:46 2021
Response via : Initial Calibration

