

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051122\
 Data File : VU048510.D
 Acq On : 11 May 2022 12:17
 Operator : SY/MD
 Sample : N2714-11
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: May 12 03:42:00 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM050622WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu May 12 03:40:41 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	261380	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	268115	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	140536	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	77505	34.430	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	68.860%		
7) Chloroethane-d5	1.913	69	57403	39.073	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	78.140%		
11) 1,1-Dichloroethene-d2	2.568	63	126382	31.546	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	63.100%		
21) 2-Butanone-d5	4.623	46	156901	81.844	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	81.840%		
24) Chloroform-d	5.064	84	183179	46.850	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	93.700%		
26) 1,2-Dichloroethane-d4	5.703	65	131636	51.792	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	103.580%		
32) Benzene-d6	5.729	84	342916	42.089	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	84.180%		
36) 1,2-Dichloropropane-d6	6.690	67	104494	39.330	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	78.660%		
41) Toluene-d8	7.899	98	312280	43.338	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	86.680%		
43) trans-1,3-Dichloroprop...	8.179	79	57864	47.318	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	94.640%		
47) 2-Hexanone-d5	8.633	63	114283	88.871	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	88.870%		
56) 1,1,2,2-Tetrachloroeth...	10.755	84	161309	39.859	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	79.720%		
66) 1,2-Dichlorobenzene-d4	12.192	152	132891	47.754	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	95.500%		
Target Compounds						Qvalue
44) trans-1,3-Dichloropropene	8.176	75	2532	0.711	ug/L	88
60) 1,2,3-Trichloropropane	11.809	75	14673	4.000	ug/L #	68


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051122\
Data File : VU048510.D
Acq On : 11 May 2022 12:17
Operator : SY/MD
Sample : N2714-11
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: May 12 03:42:00 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM050622WMA.M
Quant Title : VOC Analysis
QLast Update : Thu May 12 03:40:41 2022
Response via : Initial Calibration









#44
trans-1,3-Dichloropropene
Concen: 0.711 ug/L
RT: 8.176 min Scan# 2137
Delta R.T. -0.035 min
Lab File: VU048510.D
Acq: 11 May 2022 12:17

Instrument :
MSVOA_U
ClientSampleId :

Tgt Ion: 75 Resp: 2532
Ion Ratio Lower Upper
75 100
77 39.1 22.6 42.0



#60
1,2,3-Trichloropropane
Concen: 4.000 ug/L
RT: 11.809 min Scan# 3256
Delta R.T. 0.987 min
Lab File: VU048510.D
Acq: 11 May 2022 12:17

Tgt Ion: 75 Resp: 14673
Ion Ratio Lower Upper
75 100
77 34.1 25.5 38.3
110 3.0 28.9 43.3#

