

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051122\
 Data File : VU048527.D
 Acq On : 11 May 2022 19:12
 Operator : SY/MD
 Sample : N2790-13
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BGPPO

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM050622WMA.M
 Title : VOC Analysis

Signal : TIC: VU048527.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.597	74	80	97	rVB	108581	126862	11.80%	1.488%
2	1.912	170	178	195	rVB	89265	115134	10.70%	1.350%
3	2.472	350	352	354	rVB	513	172	0.02%	0.002%
4	2.568	369	382	396	rBV	221591	358563	33.34%	4.205%
5	2.713	424	427	431	rBV2	240	171	0.02%	0.002%
6	2.768	434	444	464	rVV2	5584	12259	1.14%	0.144%
7	2.899	483	485	492	rVB2	206	180	0.02%	0.002%
8	2.964	502	505	507	rBV	219	164	0.02%	0.002%
9	3.186	570	574	584	rVB4	941	1671	0.16%	0.020%
10	3.276	599	602	605	rBB	233	155	0.01%	0.002%
11	3.301	606	610	613	rBV	303	245	0.02%	0.003%
12	3.562	688	691	697	rVB	399	325	0.03%	0.004%
13	3.591	698	700	702	rBV	320	182	0.02%	0.002%
14	3.607	702	705	707	rBV2	232	180	0.02%	0.002%
15	3.671	721	725	728	rVB2	410	313	0.03%	0.004%
16	3.729	740	743	746	rVB	255	168	0.02%	0.002%
17	3.838	773	777	779	rBB	299	225	0.02%	0.003%
18	4.018	831	833	836	rVB2	304	167	0.02%	0.002%
19	4.038	836	839	841	rBV	196	164	0.02%	0.002%
20	4.102	854	859	863	rBV	280	290	0.03%	0.003%
21	4.147	870	873	876	rBV	197	190	0.02%	0.002%
22	4.285	911	916	920	rBV2	376	455	0.04%	0.005%
23	4.314	920	925	928	rBV	152	173	0.02%	0.002%
24	4.372	940	943	945	rVB	261	165	0.02%	0.002%
25	4.391	945	949	953	rBV2	404	382	0.04%	0.004%
26	4.452	965	968	971	rBV	302	274	0.03%	0.003%
27	4.546	994	997	1001	rVV2	266	236	0.02%	0.003%
28	4.623	1008	1021	1046	rBV	112911	274820	25.55%	3.223%
29	4.983	1130	1133	1136	rBV2	299	221	0.02%	0.003%
30	5.063	1141	1158	1179	rBV2	201705	444919	41.37%	5.218%
31	5.192	1194	1198	1202	rVB3	322	284	0.03%	0.003%
32	5.285	1222	1227	1228	rBV2	608	486	0.05%	0.006%
33	5.407	1263	1265	1273	rBV2	261	349	0.03%	0.004%
34	5.565	1307	1314	1316	rBV	287	368	0.03%	0.004%
35	5.620	1328	1331	1336	rVB2	408	377	0.04%	0.004%
36	5.655	1336	1342	1343	rBV	299	310	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051122\
 Data File : VU048527.D
 Acq On : 11 May 2022 19:12
 Operator : SY/MD
 Sample : N2790-13
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BGPPO

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM050622WMA.M
 Title : VOC Analysis

37	5.726	1343	1364	1392	rBV2	393004	1075520	100.00%	12.614%
38	5.870	1406	1409	1410	rBV2	331	190	0.02%	0.002%
39	5.928	1424	1427	1430	rVB	444	277	0.03%	0.003%
40	6.079	1471	1474	1480	rBV3	405	403	0.04%	0.005%
41	6.115	1480	1485	1489	rVB4	587	473	0.04%	0.006%
42	6.140	1489	1493	1494	rBV	407	250	0.02%	0.003%
43	6.153	1494	1497	1499	rBV	315	199	0.02%	0.002%
44	6.250	1513	1527	1553	rBV	328577	621453	57.78%	7.288%
45	6.443	1585	1587	1595	rVB2	383	311	0.03%	0.004%
46	6.478	1595	1598	1601	rVB	312	235	0.02%	0.003%
47	6.530	1605	1614	1625	rBV6	5438	10352	0.96%	0.121%
48	6.690	1650	1664	1685	rBV	244937	475794	44.24%	5.580%
49	6.899	1727	1729	1732	rVB	476	212	0.02%	0.002%
50	6.967	1745	1750	1755	rBV2	435	486	0.05%	0.006%
51	7.060	1773	1779	1782	rBV2	304	356	0.03%	0.004%
52	7.118	1795	1797	1801	rVV2	286	205	0.02%	0.002%
53	7.160	1803	1810	1822	rVB8	2797	5305	0.49%	0.062%
54	7.272	1842	1845	1849	rVB	335	237	0.02%	0.003%
55	7.343	1864	1867	1871	rBB2	305	268	0.02%	0.003%
56	7.430	1891	1894	1896	rBV2	320	202	0.02%	0.002%
57	7.443	1896	1898	1901	rVV2	287	206	0.02%	0.002%
58	7.568	1922	1937	1953	rBV	138317	248486	23.10%	2.914%
59	7.658	1963	1965	1966	rBV	482	233	0.02%	0.003%
60	7.761	1994	1997	2001	rBV2	226	206	0.02%	0.002%
61	7.899	2026	2040	2054	rBV	497749	854622	79.46%	10.023%
62	8.079	2093	2096	2101	rBV2	412	365	0.03%	0.004%
63	8.131	2109	2112	2115	rBV3	375	314	0.03%	0.004%
64	8.179	2115	2127	2144	rBV	103284	176645	16.42%	2.072%
65	8.446	2208	2210	2212	rBV	542	362	0.03%	0.004%
66	8.632	2256	2268	2301	rVV	356229	648025	60.25%	7.600%
67	8.828	2326	2329	2335	rVB3	562	524	0.05%	0.006%
68	8.857	2335	2338	2340	rBV2	305	219	0.02%	0.003%
69	9.144	2425	2427	2431	rBV2	239	157	0.01%	0.002%
70	9.163	2431	2433	2435	rVB	329	171	0.02%	0.002%
71	9.224	2449	2452	2457	rBV2	344	266	0.02%	0.003%
72	9.417	2499	2512	2537	rBV	471071	787950	73.26%	9.241%
73	9.693	2590	2598	2606	rVB6	1364	2190	0.20%	0.026%
74	9.796	2626	2630	2631	rBV	233	158	0.01%	0.002%
75	9.825	2636	2639	2644	rVB2	255	195	0.02%	0.002%
76	9.867	2650	2652	2654	rBV	259	170	0.02%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051122\
 Data File : VU048527.D
 Acq On : 11 May 2022 19:12
 Operator : SY/MD
 Sample : N2790-13
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BGPPO

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM050622WMA.M
 Title : VOC Analysis

77	9.890	2657	2659	2662	rVB	371	181	0.02%	0.002%
78	10.102	2720	2725	2728	rBV3	515	495	0.05%	0.006%
79	10.674	2895	2903	2913	rBV6	1175	1715	0.16%	0.020%
80	10.758	2916	2929	2950	rVB	361646	586070	54.49%	6.873%
81	10.896	2961	2972	2980	rBV5	2402	3343	0.31%	0.039%
82	10.992	2999	3002	3006	rBV2	288	240	0.02%	0.003%
83	11.172	3051	3058	3061	rBV	263	351	0.03%	0.004%
84	11.330	3104	3107	3111	rVB2	271	187	0.02%	0.002%
85	11.455	3140	3146	3148	rBV3	1156	1179	0.11%	0.014%
86	11.581	3182	3185	3188	rBV2	310	233	0.02%	0.003%
87	11.600	3188	3191	3194	rVB2	310	187	0.02%	0.002%
88	11.693	3215	3220	3229	rVB5	1392	1583	0.15%	0.019%
89	11.812	3244	3257	3280	rBV	512344	815371	75.81%	9.563%
90	12.192	3361	3375	3394	rBV	530211	856117	79.60%	10.040%
91	12.333	3415	3419	3426	rVB4	787	713	0.07%	0.008%
92	12.362	3426	3428	3431	rBV	511	240	0.02%	0.003%
93	12.893	3589	3593	3596	rBV3	1247	1040	0.10%	0.012%
94	13.018	3629	3632	3637	rVB	363	327	0.03%	0.004%
95	13.073	3646	3649	3653	rBV2	296	316	0.03%	0.004%
96	13.208	3688	3691	3693	rBV	286	204	0.02%	0.002%
97	13.401	3748	3751	3753	rBV	313	170	0.02%	0.002%
98	13.478	3773	3775	3778	rBV	240	175	0.02%	0.002%
99	13.751	3856	3860	3862	rBV	391	315	0.03%	0.004%
100	14.317	4034	4036	4037	rBV	428	179	0.02%	0.002%




Sum of corrected areas: 8526722

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051122\
Data File : VU048527.D
Acq On : 11 May 2022 19:12
Operator : SY/MD
Sample : N2790-13
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BGPP0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM050622WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051122\
Data File : VU048527.D
Acq On : 11 May 2022 19:12
Operator : SY/MD
Sample : N2790-13
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BGPPO

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM050622WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051122\
Data File : VU048527.D
Acq On : 11 May 2022 19:12
Operator : SY/MD
Sample : N2790-13
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BGPPO

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM050622WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc