

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU051219\
 Data File : VU031954.D
 Acq On : 12 May 2019 19:44
 Operator : JC/SP
 Sample : K2744-07
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9D02

Quant Time: May 13 07:54:40 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050819WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Mon May 13 07:00:03 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	440152	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	451970	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	166413	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	110845	3.70	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	74.00%
7) Chloroethane-d5	1.68	69	116448	4.71	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	94.20%
11) 1,1-Dichloroethene-d2	2.27	63	166102	2.57	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	51.40%#
20) 2-Butanone-d5	4.21	46	497850	42.51	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	85.02%
24) Chloroform-d	4.64	84	259384	4.22	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	84.40%
26) 1,2-Dichloroethane-d4	5.31	65	149846	4.01	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.20%
32) Benzene-d6	5.33	84	469935	4.06	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	81.20%
36) 1,2-Dichloropropane-d6	6.33	67	172598	4.06	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	81.20%
41) Toluene-d8	7.56	98	338331	3.42	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	68.40%#
43) trans-1,3-Dichloropropene-	7.85	79	49056	3.29	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	65.80%
46) 2-Hexanone-d5	8.31	63	336880	44.68	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	89.36%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	160081	4.84	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.80%
64) 1,2-Dichlorobenzene-d4	11.86	152	134600	4.89	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.80%


Target Compounds				Ovalue
13) Acetone	2.35	43	10538	1.317 ug/L 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU051219\
Data File : VU031954.D
Acq On : 12 May 2019 19:44
Operator : JC/SP
Sample : K2744-07
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F9D02

Quant Time: May 13 07:54:40 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050819WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon May 13 07:00:03 2019
Response via : Initial Calibration





#13

Acetone

Concen: 1.317 ug/L

RT: 2.35 min Scan# 392

Delta R.T. 0.00 min

Lab File: VU031954.D

Acq: 12 May 2019 19:44

Instrument :
MSVOA_U
ClientSampleId :
F9D02

Tot Ion: 43 Resp: 10538

Ion Ratio Lower Upper

43 100

58 26.5 0.0 53.6

