

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051222\
 Data File : VU048548.D
 Acq On : 12 May 2022 17:47
 Operator : SY/MD
 Sample : N2767-12
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BGPP1

Quant Time: May 13 04:00:22 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM050622WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri May 13 03:54:05 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	263101	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	271278	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	141216	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.600	65	75116	33.151	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	66.300%		
7) Chloroethane-d5	1.912	69	59405	40.171	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	80.340%		
11) 1,1-Dichloroethene-d2	2.568	63	123399	30.600	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	61.200%		
21) 2-Butanone-d5	4.620	46	161550	83.717	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	83.720%		
24) Chloroform-d	5.063	84	192303	48.862	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	97.720%		
26) 1,2-Dichloroethane-d4	5.703	65	141672	55.377	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	110.760%		
32) Benzene-d6	5.729	84	354148	42.960	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	85.920%		
36) 1,2-Dichloropropane-d6	6.690	67	109329	40.670	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	81.340%		
41) Toluene-d8	7.899	98	321215	44.058	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	88.120%		
43) trans-1,3-Dichloroprop...	8.179	79	59492	48.082	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	96.160%		
47) 2-Hexanone-d5	8.632	63	114706	88.160	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	88.160%		
56) 1,1,2,2-Tetrachloroeth...	10.754	84	172343	42.089	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	84.180%		
66) 1,2-Dichlorobenzene-d4	12.195	152	138360	49.480	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	98.960%		
Target Compounds					Qvalue	
13) Acetone	2.626	43	11293	7.762	ug/L	97
22) 2-Butanone	4.706	43	7950	3.656	ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051222\
Data File : VU048548.D
Acq On : 12 May 2022 17:47
Operator : SY/MD
Sample : N2767-12
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BGPP1

Quant Time: May 13 04:00:22 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM050622WMA.M
Quant Title : VOC Analysis
QLast Update : Fri May 13 03:54:05 2022
Response via : Initial Calibration

