

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU051319\
 Data File : VU031975.D
 Acq On : 13 May 2019 17:52
 Operator : JC/SP
 Sample : K2744-16
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9D18

Quant Time: May 14 04:44:33 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050819WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue May 14 02:38:02 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	510768	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	505794	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	184085	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	109824	3.16	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	63.20%
7) Chloroethane-d5	1.67	69	114617	3.99	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	79.80%
11) 1,1-Dichloroethene-d2	2.27	63	171796	2.29	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	45.80%#
20) 2-Butanone-d5	4.19	46	514692	37.87	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	75.74%
24) Chloroform-d	4.64	84	254513	3.57	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	71.40%
26) 1,2-Dichloroethane-d4	5.31	65	150726	3.48	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	69.60%#
32) Benzene-d6	5.33	84	503336	3.89	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	77.80%
36) 1,2-Dichloropropane-d6	6.33	67	182188	3.83	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	76.60%
41) Toluene-d8	7.56	98	381151	3.44	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	68.80%#
43) trans-1,3-Dichloropropene-	7.85	79	47497	2.85	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	57.00%
46) 2-Hexanone-d5	8.31	63	359004	42.54	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	85.08%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	163707	4.42	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	88.40%
64) 1,2-Dichlorobenzene-d4	11.86	152	147381	4.84	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	96.80%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU051319\
Data File : VU031975.D
Acq On : 13 May 2019 17:52
Operator : JC/SP
Sample : K2744-16
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F9D18

Quant Time: May 14 04:44:33 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050819WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue May 14 02:38:02 2019
Response via : Initial Calibration

