

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051321\
 Data File : VU043697.D
 Acq On : 13 May 2021 11:57
 Operator : SY/MD
 Sample : M2380-06
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BG6M5

Quant Time: May 14 01:49:07 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR050321WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri May 14 01:48:16 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.256	114	93041	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.423	117	92066	5.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.819	152	40766	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.600	65	23700	3.17	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	63.40%
7) Chloroethane-d5	1.919	69	21069	3.84	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	76.80%
11) 1,1-Dichloroethene-d2	2.571	65	12717	3.46	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	69.20%
20) 2-Butanone-d5	4.642	46	107886	46.45	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	92.90%
24) Chloroform-d	5.073	84	60394	4.22	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	84.40%
26) 1,2-Dichloroethane-d4	5.713	65	38574	4.47	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.40%
32) Benzene-d6	5.735	84	104142	4.18	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.60%
36) 1,2-Dichloropropane-d6	6.700	67	41063	4.70	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.00%
41) Toluene-d8	7.906	98	84392	3.69	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	73.80%
43) trans-1,3-Dichloroprop...	8.185	79	14767	4.19	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	83.80%
46) 2-Hexanone-d5	8.642	63	85688	57.99	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	115.98%
56) 1,1,2,2-Tetrachloroeth...	10.764	84	36485	5.21	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	104.20%
66) 1,2-Dichlorobenzene-d4	12.201	152	33299	4.58	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	91.60%
Target Compounds					Qvalue	
42) Toluene	7.976	91	2189	0.09	ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051321\
Data File : VU043697.D
Acq On : 13 May 2021 11:57
Operator : SY/MD
Sample : M2380-06
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BG6M5

Quant Time: May 14 01:49:07 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR050321WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri May 14 01:48:16 2021
Response via : Initial Calibration

