

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU051419\
 Data File : VU031997.D
 Acq On : 14 May 2019 16:15
 Operator : JC/SP
 Sample : K2738-04
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB883

Quant Time: May 15 04:57:33 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM051419WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed May 15 04:26:34 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	1072582	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	1044449	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	400467	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	415958	44.19	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	88.38%
7) Chloroethane-d5	1.67	69	352383	46.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.48%
11) 1,1-Dichloroethene-d2	2.27	63	571233	33.86	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.72%
21) 2-Butanone-d5	4.17	46	606835	92.07	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	92.07%
24) Chloroform-d	4.64	84	711902	45.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.38%
26) 1,2-Dichloroethane-d4	5.30	65	461010	46.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.92%
32) Benzene-d6	5.34	84	1504727	49.76	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.52%
36) 1,2-Dichloropropane-d6	6.32	67	499141	50.03	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.06%
41) Toluene-d8	7.56	98	1286733	47.50	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.00%
43) trans-1,3-Dichloropropene-	7.85	79	201740	45.84	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.68%
47) 2-Hexanone-d5	8.31	63	401311	99.20	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.20%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	669516	45.34	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	90.68%
64) 1,2-Dichlorobenzene-d4	11.85	152	435134	51.64	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.28%

Target Compounds					Ovalue
13) Acetone	2.32	43	24098	3.557 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU051419\
Data File : VU031997.D
Acq On : 14 May 2019 16:15
Operator : JC/SP
Sample : K2738-04
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB883

Quant Time: May 15 04:57:33 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM051419WMA.M
Quant Title : VOC Analysis
QLast Update : Wed May 15 04:26:34 2019
Response via : Initial Calibration

