

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU051419\
 Data File : VU031996.D
 Acq On : 14 May 2019 15:52
 Operator : JC/SP
 Sample : K2738-01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB849

Quant Time: May 15 04:55:28 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM051419WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed May 15 04:26:34 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	1068510	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	1044196	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	408223	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	420322	44.83	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.66%
7) Chloroethane-d5	1.67	69	353467	46.56	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.12%
11) 1,1-Dichloroethene-d2	2.27	63	580403	34.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.06%
21) 2-Butanone-d5	4.17	46	622520	94.81	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.81%
24) Chloroform-d	4.64	84	719564	45.85	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.70%
26) 1,2-Dichloroethane-d4	5.31	65	459824	46.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.04%
32) Benzene-d6	5.34	84	1500286	49.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.26%
36) 1,2-Dichloropropane-d6	6.32	67	502291	50.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.72%
41) Toluene-d8	7.56	98	1293481	47.76	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.52%
43) trans-1,3-Dichloropropene-	7.85	79	199448	45.33	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.66%
47) 2-Hexanone-d5	8.31	63	397429	98.26	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.26%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	684621	46.38	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.76%
64) 1,2-Dichlorobenzene-d4	11.85	152	438578	51.06	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.12%


Target Compounds					Ovalue
13) Acetone	2.32	43	20034	2.968 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU051419\
Data File : VU031996.D
Acq On : 14 May 2019 15:52
Operator : JC/SP
Sample : K2738-01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB849

Quant Time: May 15 04:55:28 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM051419WMA.M
Quant Title : VOC Analysis
QLast Update : Wed May 15 04:26:34 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.968 ug/L

RT: 2.32 min Scan# 383

Delta R.T. 0.00 min

Lab File: VU031996.D

Acq: 14 May 2019 15:52

Instrument :

MSVOA_U

ClientSampleId :

DB849

Tot Ion: 43 Resp: 20034

Ion Ratio Lower Upper

43 100

58 31.4 0.0 68.2

