

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU051419\
 Data File : VU031999.D
 Acq On : 14 May 2019 17:02
 Operator : JC/SP
 Sample : K2788-20
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A51A2

Quant Time: May 15 05:02:47 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM051419WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed May 15 04:26:34 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	1041775	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	1049117	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	412798	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	401084	43.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	87.74%
7) Chloroethane-d5	1.68	69	340858	46.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.10%
11) 1,1-Dichloroethene-d2	2.27	63	564719	34.46	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.92%
21) 2-Butanone-d5	4.17	46	581652	90.86	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	90.86%
24) Chloroform-d	4.64	84	695481	45.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.90%
26) 1,2-Dichloroethane-d4	5.31	65	454533	47.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.32%
32) Benzene-d6	5.34	84	1456593	47.96	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.92%
36) 1,2-Dichloropropane-d6	6.32	67	492652	49.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.32%
41) Toluene-d8	7.56	98	1269313	46.65	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.30%
43) trans-1,3-Dichloropropene-	7.85	79	199351	45.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.18%
47) 2-Hexanone-d5	8.31	63	371918	91.52	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	91.52%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	654854	44.15	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	88.30%
64) 1,2-Dichlorobenzene-d4	11.85	152	436798	50.29	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.58%


Target Compounds					Ovalue
13) Acetone	2.32	43	236528	35.941 ug/L	100
16) Methylene chloride	2.70	84	27773	2.960 ug/L	97
22) 2-Butanone	4.27	43	110760	14.591 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU051419\
Data File : VU031999.D
Acq On : 14 May 2019 17:02
Operator : JC/SP
Sample : K2788-20
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A51A2

Quant Time: May 15 05:02:47 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM051419WMA.M
Quant Title : VOC Analysis
QLast Update : Wed May 15 04:26:34 2019
Response via : Initial Calibration





#13

Acetone

Concen: 35.941 ug/L

RT: 2.32 min Scan# 382

Delta R.T. -0.00 min

Lab File: VU031999.D

Acq: 14 May 2019 17:02

Instrument :

MSVOA_U

ClientSampleId :


A51A2

Tot Ion: 43 Resp: 236528

Ion Ratio Lower Upper

43 100

58 34.3 0.0 68.2



Abundance Ion 43.00 (42.70 to 43.70): VU031988.D (-363) (-)

Ion 58.00 (57.70 to 58.70): VU031988.D (-363) (-)

2.32



150000

100000

50000

0

Time-->



#16

Methylene chloride

Concen: 2.960 ug/L

RT: 2.70 min Scan# 500

Delta R.T. -0.00 min

Lab File: VU031999.D

Acq: 14 May 2019 17:02


Tgt Ion: 84 Resp: 27773

Ion Ratio Lower Upper

84 100

86 64.3 45.8 85.0

49 114.4 83.3 154.7



Abundance Ion 84.00 (83.70 to 84.70): VU031988.D (-485) (-)

Ion 86.00 (85.70 to 86.70): VU031988.D (-485) (-)

Ion 49.00 (48.70 to 49.70): VU031988.D (-485) (-)

20000


15000


10000

5000

0

Time-->





#22

2-Butanone

Concen: 14.591 ug/L

RT: 4.27 min Scan# 988

Delta R.T. 0.01 min

Lab File: VU031999.D

Acq: 14 May 2019 17:02

Instrument :
MSVOA_U
ClientSampleId :
A51A2

Tot Ion: 43 Resp: 110760

Ion Ratio Lower Upper

43 100

72 26.6 13.9 41.7

