

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU051420\
 Data File : VU038176.D
 Acq On : 14 May 2020 17:51
 Operator : JC/MD
 Sample : VIBLK42
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK42

Quant Time: May 15 03:37:01 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri May 15 01:05:40 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	337121	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	329574	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	158006	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	100315	3.25	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	65.00%
7) Chloroethane-d5	1.93	69	104188	3.91	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	78.20%
11) 1,1-Dichloroethene-d2	2.59	63	138505	2.69	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	53.80%#
20) 2-Butanone-d5	4.66	46	425469	55.92	ug/L	-0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	111.84%
24) Chloroform-d	5.10	84	205529	4.39	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.80%
26) 1,2-Dichloroethane-d4	5.74	65	125771	4.69	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.80%
32) Benzene-d6	5.76	84	429924	4.35	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.00%
36) 1,2-Dichloropropane-d6	6.72	67	147738	4.63	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	92.60%
41) Toluene-d8	7.92	98	374833	4.22	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.40%
43) trans-1,3-Dichloropropene-	8.20	79	51924	4.07	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	81.40%
46) 2-Hexanone-d5	8.65	63	353031	58.55	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	117.10%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	125930	5.01	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	100.20%
64) 1,2-Dichlorobenzene-d4	12.20	152	144589	4.70	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	94.00%


Target Compounds					Ovalue
16) Methylene chloride	3.08	84	2101	0.077 ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU051420\
Data File : VU038176.D
Acq On : 14 May 2020 17:51
Operator : JC/MD
Sample : VIBLK42
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VIBLK42

Quant Time: May 15 03:37:01 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR050720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri May 15 01:05:40 2020
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 0.077 ug/L
 RT: 3.08 min Scan# 541
 Delta R.T. 0.00 min
 Lab File: VU038176.D
 Acq: 14 May 2020 17:51

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK42

Tot Ion: 84 Resp: 2101
 Ion Ratio Lower Upper
 84 100
 86 59.5 44.9 83.3
 49 141.8 92.0 170.9

