

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU051519\
 Data File : VU032026.D
 Acq On : 15 May 2019 13:00
 Operator : JC/SP
 Sample : K2862-02
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFHK5

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM051419WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.180	24	28	39	rVB2	17868	17804	0.45%	0.059%
2	1.399	88	96	106	rBV	519116	556171	14.05%	1.837%
3	1.672	173	181	197	rVB	394891	522691	13.21%	1.726%
4	2.267	356	366	379	rBV	842289	1280504	32.35%	4.229%
5	2.469	422	429	440	rBV8	2234	4055	0.10%	0.013%
6	2.540	448	451	454	rBV4	957	582	0.01%	0.002%
7	2.608	470	472	474	rBV2	901	573	0.01%	0.002%
8	2.662	487	489	491	rVB3	956	419	0.01%	0.001%
9	2.685	491	496	497	rBV3	1262	888	0.02%	0.003%
10	2.749	514	516	520	rBV6	728	461	0.01%	0.002%
11	2.775	521	524	527	rBV4	1475	1176	0.03%	0.004%
12	2.820	536	538	539	rBV	1611	737	0.02%	0.002%
13	2.900	561	563	567	rBV2	931	658	0.02%	0.002%
14	2.984	578	589	590	rBV5	2139	3086	0.08%	0.010%
15	3.116	627	630	635	rVB2	1618	1217	0.03%	0.004%
16	3.151	638	641	642	rBV	601	353	0.01%	0.001%
17	3.251	668	672	674	rBV2	499	413	0.01%	0.001%
18	3.296	680	686	690	rBV6	1172	1220	0.03%	0.004%
19	3.331	695	697	701	rBV3	469	392	0.01%	0.001%
20	3.379	709	712	714	rBV2	683	357	0.01%	0.001%
21	3.453	731	735	737	rBV4	572	482	0.01%	0.002%
22	3.530	755	759	761	rBV2	543	369	0.01%	0.001%
23	3.566	764	770	772	rBV5	846	787	0.02%	0.003%
24	3.691	807	809	813	rBV3	836	469	0.01%	0.002%
25	3.714	813	816	820	rVB2	886	468	0.01%	0.002%
26	3.817	847	848	852	rVB2	685	327	0.01%	0.001%
27	3.916	876	879	884	rVB3	1402	1002	0.03%	0.003%
28	3.942	884	887	889	rBV2	801	566	0.01%	0.002%
29	3.964	889	894	895	rBV3	624	493	0.01%	0.002%
30	4.083	927	931	932	rBV4	1182	749	0.02%	0.002%
31	4.170	946	958	991	rBV	359453	973232	24.59%	3.215%
32	4.643	1088	1105	1130	rBV	626360	1496649	37.81%	4.943%
33	4.852	1167	1170	1173	rBV4	1008	934	0.02%	0.003%
34	5.234	1285	1289	1292	rBV3	1780	1357	0.03%	0.004%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU051519\
 Data File : VU032026.D
 Acq On : 15 May 2019 13:00
 Operator : JC/SP
 Sample : K2862-02
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFHK5

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM051419WMA.M
 Title : VOC Analysis

35	5.334	1296	1320	1374	rBV2	1301679	3957975	100.00%	13.073%
36	5.733	1442	1444	1449	rBV5	1090	862	0.02%	0.003%
37	5.829	1472	1474	1476	rVB3	989	447	0.01%	0.001%
38	5.881	1476	1490	1526	rBV	1191908	2483278	62.74%	8.202%
39	6.177	1572	1582	1595	rBV6	19683	40955	1.03%	0.135%
40	6.324	1614	1628	1650	rBV	843337	1738645	43.93%	5.743%
41	6.704	1744	1746	1748	rVB3	1120	444	0.01%	0.001%
42	6.810	1777	1779	1782	rBV2	667	404	0.01%	0.001%
43	6.877	1794	1800	1807	rBV7	1861	2740	0.07%	0.009%
44	6.926	1812	1815	1818	rBV5	1206	896	0.02%	0.003%
45	6.977	1828	1831	1836	rVB5	890	859	0.02%	0.003%
46	7.029	1844	1847	1849	rBV3	730	453	0.01%	0.001%
47	7.070	1854	1860	1862	rBV4	978	901	0.02%	0.003%
48	7.093	1865	1867	1871	rVB2	1132	613	0.02%	0.002%
49	7.225	1891	1908	1928	rBV	455320	833260	21.05%	2.752%
50	7.562	1999	2013	2049	rBV	1641955	3043034	76.88%	10.051%
51	7.845	2089	2101	2125	rBV	307963	558341	14.11%	1.844%
52	8.131	2187	2190	2193	rBV3	1129	799	0.02%	0.003%
53	8.228	2214	2220	2228	rVB9	3686	5807	0.15%	0.019%
54	8.260	2228	2230	2233	rVB3	773	369	0.01%	0.001%
55	8.308	2233	2245	2285	rBV	1055849	2047843	51.74%	6.764%
56	8.469	2288	2295	2310	rVB3	36869	72246	1.83%	0.239%
57	8.746	2379	2381	2384	rVB2	1186	516	0.01%	0.002%
58	8.865	2415	2418	2422	rBV3	710	579	0.01%	0.002%
59	8.929	2436	2438	2441	rBV2	685	395	0.01%	0.001%
60	9.012	2458	2464	2466	rBV5	836	773	0.02%	0.003%
61	9.086	2474	2487	2533	rBV	1741897	3120304	78.84%	10.306%
62	9.389	2573	2581	2589	rVB	2622	4341	0.11%	0.014%
63	9.466	2602	2605	2607	rBV3	1112	792	0.02%	0.003%
64	9.562	2633	2635	2638	rBV3	874	321	0.01%	0.001%
65	9.591	2638	2644	2646	rBV4	710	723	0.02%	0.002%
66	9.639	2656	2659	2662	rVB3	1200	781	0.02%	0.003%
67	9.662	2662	2666	2670	rBV4	1562	1354	0.03%	0.004%
68	9.729	2685	2687	2691	rVB2	748	522	0.01%	0.002%
69	9.781	2698	2703	2704	rBV3	1546	1263	0.03%	0.004%
70	10.167	2816	2823	2831	rVB6	5575	8274	0.21%	0.027%
71	10.225	2839	2841	2846	rVB4	697	546	0.01%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU051519\
 Data File : VU032026.D
 Acq On : 15 May 2019 13:00
 Operator : JC/SP
 Sample : K2862-02
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFHK5

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM051419WMA.M
 Title : VOC Analysis

72	10.250	2846	2849	2853	rBV4	874	560	0.01%	0.002%
73	10.347	2874	2879	2882	rBV5	935	1063	0.03%	0.004%
74	10.427	2891	2904	2932	rBV	1201940	1976715	49.94%	6.529%
75	10.591	2946	2955	2972	rVB	16288	30427	0.77%	0.100%
76	10.723	2991	2996	2998	rBV4	1221	1163	0.03%	0.004%
77	10.765	3007	3009	3012	rBV3	721	463	0.01%	0.002%
78	10.845	3030	3034	3037	rBV3	1056	743	0.02%	0.002%
79	10.909	3050	3054	3058	rBV6	1612	1305	0.03%	0.004%
80	10.948	3062	3066	3069	rBV3	792	562	0.01%	0.002%
81	10.977	3073	3075	3077	rBV2	1055	556	0.01%	0.002%
82	11.083	3103	3108	3111	rBV4	1176	1217	0.03%	0.004%
83	11.163	3129	3133	3135	rBV4	1320	972	0.02%	0.003%
84	11.479	3219	3231	3256	rBV	1578310	2578353	65.14%	8.516%
85	11.765	3310	3320	3335	rBV2	62341	116532	2.94%	0.385%
86	11.855	3336	3348	3372	rVV	1579923	2593266	65.52%	8.565%
87	12.253	3465	3472	3479	rBV2	11572	16809	0.42%	0.056%
88	12.350	3498	3502	3517	rVB6	11635	20836	0.53%	0.069%
89	12.453	3532	3534	3537	rBV4	1089	786	0.02%	0.003%
90	12.652	3591	3596	3602	rVB2	7065	8991	0.23%	0.030%
91	12.810	3643	3645	3650	rBV5	1181	1156	0.03%	0.004%
92	12.964	3685	3693	3705	rBV6	13635	23177	0.59%	0.077%
93	13.044	3712	3718	3721	rBV7	1596	2055	0.05%	0.007%
94	13.122	3732	3742	3752	rBV3	28745	49567	1.25%	0.164%
95	13.408	3827	3831	3835	rBV4	2229	1945	0.05%	0.006%
96	13.504	3858	3861	3869	rBV7	3541	4562	0.12%	0.015%
97	13.765	3935	3942	3950	rBV7	5069	10116	0.26%	0.033%
98	14.012	4017	4019	4022	rBV3	1338	1005	0.03%	0.003%
99	14.231	4084	4087	4090	rBV2	1603	1233	0.03%	0.004%
100	14.900	4286	4295	4298	rBV4	16426	25704	0.65%	0.085%

Sum of corrected areas: 30276135

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU051519\
Data File : VU032026.D
Acq On : 15 May 2019 13:00
Operator : JC/SP
Sample : K2862-02
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFHK5

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM051419WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU051519\
Data File : VU032026.D
Acq On : 15 May 2019 13:00
Operator : JC/SP
Sample : K2862-02
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFHK5

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM051419WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc